

Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.



VOL. 23 INDEX



1973

1.967
A2C78

Cooperative Economic Insect Report

Issued by

PLANT PROTECTION AND QUARANTINE PROGRAMS
ANIMAL AND PLANT HEALTH INSPECTION SERVICE
U.S. DEPARTMENT OF AGRICULTURE



PROCUREMENT SECTION
CURRENT SERIAL RECORD

U.S. DEPT. OF AGRICULTURE
NATL. AGRIC. LIBRARY
RECEIVED
MAR 27 1974

ANIMAL AND PLANT HEALTH INSPECTION SERVICE
PLANT PROTECTION AND QUARANTINE PROGRAMS
PEST SURVEY AND TECHNICAL SUPPORT STAFF

The Cooperative Economic Insect Report is issued weekly as a service to American Agriculture. Its contents are compiled from information supplied by cooperating State, Federal, and industrial entomologists and other agricultural workers. In releasing this material the Service serves as a clearing house and does not assume responsibility for accuracy of the material.

All reports and inquiries pertaining to this release, including the mailing list, should be sent to:

CEIR

Pest Survey and Technical Support Staff
Plant Protection and Quarantine Programs
Animal and Plant Health Inspection Service
United States Department of Agriculture
Federal Center Building
Hyattsville, Maryland 20782

COOPERATIVE ECONOMIC INSECT REPORT

Volume 23 Index 1973

SPECIAL REPORTS

Alfalfa weevil: European references
546, selected references 1926-1964 63

Aphids: Records in Hawaii 542, records
in Virginia 769

Boll weevil: Hibernation survey, fall
1972 75-78, survival surveys, spring
1973 243-246

Calycomyza ambrosiae: A leafminer of
ragweeds (Ambrosia spp.) 329

Changes in scientific names: Otiiorhynchus
versus Brachyrhinus 54, in ants and
sawflies (Hymenoptera: Formicidae,
Tenthredinidae) 498

Cooperative survey entomologists 20-22

Emmesomyia Malloch in North America
331-332

European corn borer: Estimates of damage
to grain corn in the U.S. in 1972
629-630, selected references 1969-1970
763-768, status in 1972 55-62

Grasshopper adult survey, fall 1972 12

Hawaii insect report 7, 28, 53, 74, 87,
112, 130, 149, 170, 187, 206, 215, 230,
241, 254, 275, 293, 310, 327, 349, 362,
392, 410, 426, 452, 473, 495, 519, 542,
564, 579, 605, 625, 644, 660, 676, 691,
706, 717, 731, 744

Insect detection in the United States -
1972 9

Insects not known to occur in U.S.: Gray
corn weevil 413, red pumpkin bug 197,
South African grain bug 733, stone fruit
weevil 23, strawberry tortrix 141

Light trap collections 111, 131, 148, 170,
186, 205, 216, 230, 240, 260, 276, 292,
310-311, 328, 350-351, 369, 390-391,
411-412, 433-434, 453-454, 474-475, 496-
497, 520-521, 544-545, 565-566, 586-587,
606-607, 626-627, 645-646, 661-662, 692,
707, 718, 730, 745

Losses: Estimated losses and production
costs attributed to insects and related
arthropods - 1972 783-796

Maps (distribution): Alfalfa weevil 171,
cereal leaf beetle 189, cherry fruit
flies 628, giant hornet 172, northern
corn rootworm 261, western corn rootworm
124

Maps (quarantine): Browntail moth 152
cereal leaf beetle 58, golden nematode
36, gypsy moth 94, imported fire ant
226, 742, Japanese beetle 76, pink
bollworm 404, whitefringed beetle 286

Mediterranean fruit fly: Selected
references 1956-1959 100-106, 1929-1949
217-220

Musca, distinguishing larvae of the two
American species 677-678

Periodical cicadas - Outlook for 1973
277-278

Serpentine leaf miner: The strange fate of
735-736

State survey coordinators 16-19

Summary of insect conditions in the U.S. -
1972. Beans and peas 135-136. Benefi-
cial insects 160-161. Citrus 139-140.
Cole crops 136. Contributors 194-195.
Corn, sorghum, sugarcane 93-98. Cotton
120-122. Deciduous fruits and nuts 137-
139. Federal and State Plant Protection
Programs 188-194. Forage legumes 113-
118. Forest and shade trees 150-155.
Forest insect highlights 173-177.
Hawaii 79. Introduction 88. Man and
animals 155-159. Miscellaneous field
crops 123. Ornamentals 150. Peanuts
120. Potatoes, tomatoes, peppers 133-
135. Small fruits 140. Small grains
98-99. Soybeans 119-120. Special
insects of regional significance 88-93.
Stored products 160. Sugar beets 123.
Tobacco 122. Turf, pastures, rangeland
99

Survey methods: Selected references for
1971, part XXXVI 29-47

Walnut husk maggots: Distinguishing
characters of 522

Whitefringed beetles: A key to separate
larvae from larvae of closely related
species 797

Scientific names should be used to locate all page references, except for those insects or groups of insects where scientific names were not reported. In such instances, page references will be found under common names. A combination of common and scientific names of an insect or pest may not appear on the page referred, but one or the other will be present. Underlined page numbers represent references to "Summary of Insect Conditions in the United States - 1972." Light trap collections for a particular species are listed at the end of pagination for that species under this heading.

Abagrotis barnesi (a cutworm)

320

Acacia psyllid

(Psylla uncatoides)

Acalitus vaccinii (blueberry bud mite)

203

Acalymma vittata (striped cucumber beetle) 303, 320, 342

Acantholyda erythrocephala (pine false webworm) 293

Acanthomyops claviger (small yellow ant) 769

Achatina fulica (giant African snail)

8, 74, 82, 187, 190, 230, 392, 495, 605, 691, 731

Acinia picturata (a tephritid fly)

731

Acleris comariana (strawberry tortrix)

141

Acrobasis caryae (pecan nut casebearer)

139, 255, 286, 304, 321, 343, 363, 384, 404, 427, 446, 468, 620

Acrobasis vaccinii (cranberry fruitworm)

446

Acrolepia assectella (leek moth)

310

Acrosternum hilare (green stink bug)

670, 685, 701, 726

Acyrtosiphon pisum (pea aphid)

51, 71, 109, 113, 117, 145, 160, 166, 182, 185, 202, 211, 225, 236, 239, 252-253, 268, 282, 299, 318, 339, 342, 382, 443, 464, 484, 488, 533, 536, 555, 595, 639, 653, 701, 725, 754, 777

Acyrtosiphon scariolae (an aphid)

759, 762

Acyrtosiphon solani (foxglove aphid)

769

Adalia bipunctata (twospotted lady beetle)

366

Adelges abietis (eastern spruce gall

aphid) 213, 271

Adelges cooleyi (Cooley spruce gall

aphid) 152, 256, 271, 287, 469, 657

Adelges piceae (balsam woolly aphid)

152, 175, 176

Adelges tsugae (an adelgid)

72, 74, 228

Adoretus sinicus (Chinese rose beetle)

80, 170, 206, 625, 731

Aedes spp. (mosquitoes)

112, 159, 187, 204, 230, 239, 257, 272, 289, 293, 323, 345, 362, 365, 386, 406, 449, 492, 519, 564, 622, 673, 676, 731

Aedes abserratus

345, 386

Aedes canadensis

204, 228, 323, 345, 448

Aedes canadensis canadensis

365

Aedes cinereus

159, 257, 345, 386, 492, 658

Aedes communis

159

Aedes dorsalis

257, 345, 365, 539, 562

Aedes excrucians

257, 449, 492, 562, 603

Aedes fitchii

492

Aedes hendersoni

228

Aedes increpitus

257

Aedes nigromaculis

345, 365

Aedes punctipennis

689

Aedes sollicitans (saltmarsh mosquito)

159, 345, 492, 538, 543, 622

Aedes sticticus

159, 257, 365, 406, 492

Aedes stimulans

159, 257, 365, 386, 449, 492, 516, 562,

603, 658

Aedes triseriatus

228, 257, 272, 516, 658

Aedes trivittatus

159, 365, 406, 492, 561, 583, 603, 622, 643, 673, 689

Aedes vexans

159, 257, 289, 323, 345, 365, 386, 406, 429, 448-449, 470, 492, 538-539, 561, 562, 583, 603, 622, 643, 658, 673, 689

Aedes vexans nocturnus

7, 81, 112, 187, 230, 293, 362, 519, 564, 676, 731

Ageneotettix deorum (a grasshopper)

185, 186, 240, 326, 348, 367, 431, 450, 540, 584, 674, 705

Agrius anxius (bronze birch borer)

150, 757

Agrius concinnus (a buprestid beetle)

780, 782

Agrius sinuatus (sinuate peartree borer)

128, 131

Agriotes collaris (a click beetle)

779, 782

Agriotes pubescens

777, 782

Agrius cingulatus (sweetpotato hornworm)

600, 619

Agromyza frontella (alfalfa leaf

blotch-miner) 11, 113, 118, 211, 283, 300, 319, 339, 360, 400, 443, 451, 485, 595

Agromyza parvicornis (corn blotch leaf-

miner) 337

Agrotis ipsilon (black cutworm)

79, 93, 95, 209, 320, 337, 357, 378, 383, 398, 403, 426, 465, 486, 508, 510, 533. Light traps: 131, 148, 170, 186, 205, 216, 230, 240, 260, 276, 292, 311, 328, 350-351, 369-370, 390-391, 411-412, 433-434, 453-454, 474-475, 496-497, 520-521, 544-545, 565-566, 586-587, 606-607, 626-627, 645-646, 661-662, 679, 692, 707, 718, 730, 745

Agrotis orthogonia (pale western cutworm)

88, 235, 266, 282, 358, 684

Aleurocanthus woglumi (citrus blackfly)

188

Aleurothrix floccosus (woolly whitefly)

6, 87, 186, 205, 239, 309, 761

Alfalfa caterpillar

(Colias eurytheme)

Alfalfa leaf blotch-miner

(Agromyza frontella)

Alfalfa leafcutter bee

(Megachile rotundata)

Alfalfa looper

(Autographa californica)

Alfalfa seed chalcid

(Bruchophagus roddi)

Alfalfa snout beetle

(Octiorhynchus ligustici)

Alfalfa weevil

(Hypera postica)

Alfalfa weevil parasites

781

Alkali bee

(Nomia melanderi)

Allodermansysus sanguineus (house mouse

mite) 52

Aloha ipomoeae (sweetpotato leafhopper)

230

Alsophila pometaria (fall cankerworm)

184, 212, 226, 227, 238, 322, 364, 385, 405, 428, 471, 492, 517, 582, 779

Alydus eurinus (a coreid bug)

778, 782

Amathes c-nigrum (spotted cutworm)

226, 600

Amblyomma americanum (lone star tick)

185, 307, 324, 346, 492, 513, 517, 658, 689, 715, 743, 780

Amblyomma dissimile (a hard tick)

5, 8

Amblyomma maculatum (Gulf Coast tick)
 185, 258, 307, 673, 704, 743
American black flour beetle
 (Tribolium audax)
American cockroach
 (Periplaneta americana)
American dog tick
 (Dermacentor variabilis)
American grasshopper
 (Schistocerca americana)
Amorbia emigratella (Mexican leafroller)
 293, 452, 519
Amphimallon majalis (European chafer)
 275, 430, 543, 564
Amphitornus coloradus (a grasshopper)
 326, 348, 367, 584, 705
Anabrolepis bifasciatus (an encyrtid wasp)
 781, 782
Anabrus simplex (Mormon cricket)
 471, 494, 540, 584, 623, 690, 705
Anacauda sp. (an aphid)
 769
Anastrepha ludens (Mexican fruit fly)
 192
Anastrepha suspensa (Caribbean fruit fly)
 86, 214, 704
Anisota rubicunda (greenstriped mapleworm)
 152
Anacamptodes fragilaria (koa haole looper)
 81
Anaphes flavipes (a mymarid wasp)
 188, 290, 347, 583, 674, 759, 760
Anaphothrips obscurus (grass thrips)
 165, 171, 484, 509
Anarsia lineatella (peach twig borer)
 211, 226, 601
Anasa tristis (squash bug)
 467
Anisota senatoria (orangestriped oakworm)
 152, 688
Anopheles spp. (mosquitoes)
 73, 429, 583, 603, 622, 643, 704
Anopheles crucians
 643, 644
Anopheles freeborni
 257
Anopheles punctipennis
 429, 561, 583, 673
Anopheles quadrimaculatus (common
 malaria mosquito) 257, 429, 448, 492,
 673
Anthonomus eugenii (pepper weevil)
 87, 133, 303, 310, 564, 644
Anthonomus grandis (boll weevil)
 75, 85, 120-121, 211, 243-246, 284, 302,
 319, 340, 360, 381, 400-401, 424, 444,
 466, 486-487, 511, 534-535, 558, 577,
 597, 617, 641, 654, 670, 686, 702, 713,
 727, 754
Anthonomus signatus (strawberry weevil)
 140, 256, 322
Anthrenus coloratus (a dermestid beetle)
 11
Antianthe expansa (a membracid bug)
 130, 310, 579, 585
Anticarsia gemmatilis (velvetbean
 caterpillar) 120, 510, 576, 596, 616,
 626, 640, 654, 685, 701, 712, 716, 726
Antonina graminis (Rhodesgrass scale)
 700
Aonidiella aurantii (California red scale)
 140
Aonidomytilus solidaginis (an armored
 scale) 287, 291
Apanteles sp. (a braconid wasp)
 130, 479, 604
Apanteles bedelliae
 79
Apanteles dignus
 579
Apanteles epinotiae
 689
Apanteles melanoscelus
 368, 450, 563
Apanteles militaris
 527
Apanteles plutellae
 744
Apanteles porthetriae
 563
Apanteles scutellaris
 579
Aphelinus sp. (a eulophid wasp)
 528
Aphelinus maidis
 79
Aphelinus mali
 562
 Aphids
 167, 171
Aphis coreopsidis (an aphid)
 769
Aphis fabae (bean aphid)
 269, 488, 769
Aphis gossypii (cotton aphid)
 111, 254, 467, 512
Aphis hederac (ivy aphid)
 769
Aphis illinoensis (grapevine aphid)
 769
Aphis oestlundii (an aphid)
 542, 543, 706
Aphis pomi (apple aphid)
 137, 410, 769
Aphis spiraeicola (spirea aphid)
 687, 691
Aphrophora parallela (pine spittlebug)
 271, 287, 322, 384
Aphyus fumipennis (an encyrtid wasp)
 11, 171
Apion longirostre (hollyhock weevil)
 11, 304, 310, 349, 404, 410, 432, 488,
 489, 537, 543, 560, 564, 581, 585, 600,
 656, 660
Apis mellifera (honey bee)
 129, 205, 227, 258, 308, 760
Aponychus spinosus (a spider mite)
 582, 585
Apotoforma sp. (a tortricid moth)
 215, 392
 Apple aphid
 (Aphis pomi)
 Apple grain aphid
 (Rhopalosiphum fitchii)
 Apple maggot
 (Rhagoletis pomonella)
Archips argyrospilus (fruittree leaf-
 roller) 255, 270
Archips fervidanus (oak webworm)
 688, 691
Archips semiferanus (a tortricid moth)
 153
Argyrotaenia velutinana (redbanded leaf-
 roller) 226, 255, 256, 270, 286, 304,
 560
 Armored scales
 72, 74, 203, 205
 Army cutworm
 (Euxoa auxiliaris)
 Armyworm
 (Pseudaletia unipuncta)
Aroga websteri (sagebrush defoliator)
 99, 423, 484, 532
Arphia conspersa (a grasshopper)
 274
 Asiatic oak weevil
 (Cyrtopistomus castaneus)
 Asparagus aphid
 (Brachycolus asparagi)
 Asparagus beetle
 (Crioceris asparagi)
 Asparagus miner
 (Ophiomyia simplex)
 Aspen blotchminer
 (Lithocolletis tremuloidiella)
Aspidiotus spp. (armored scales)
 81

Aspidiotus destructor (coconut scale)
7, 53, 80-81, 130, 206, 254, 426, 564,
605, 625, 676
Aspidiotus spinosus (an armored scale)
537, 543
Aster leafhopper
(Macrosteles fascifrons)
Asterolecanium puteanum (a pit scale)
756, 762
Asteromyia modesta (a cecidomyiid
midge) 11
Ataenius erratus (a scarab beetle)
28
Attagenus faciatius (a dermestid beetle)
131
Aulacaspis rosarum (an armored scale)
472, 473
Aulocara elliotti (a grasshopper)
240, 325, 326, 348, 368, 389, 431, 450,
518, 540, 584, 674, 705
Autographa californica (alfalfa looper)
225, 236, 283, 305, 319, 339, 359, 361,
380, 399, 401, 403, 424, 425, 443, 559,
642
Azalea lace bug
(Stephanitis pyrioides)

B

Bagworm
(Thyridopteryx ephemeraeformis)
Balsam twig aphid
(Mindarus abietinus)
Balsam woolly aphid
(Adelges piceae)
Banana skipper
(Erionota thrax)
Bandedwing whitefly
(Trialeurodes abutilonea)
Banks grass mite
(Oligonychus pratensis)
Bark beetles
173
Barley thrips
(Limothrips denticornis)
Barnacle scale
(Ceroplastes cirripediformis)
Bathyplectes sp. (an ichneumon wasp)
114, 214
Bathyplectes anurus
11, 160, 161, 429
Bathyplectes curculionis
52, 53, 74, 111, 115-117, 160, 161, 273,
308, 318, 325, 338, 347, 359, 367, 387,
781
Bathyplectes stenostigma
11, 160, 161
Bean aphid
(Aphis fabae)
Bean fly
(Melanogromyza phaseoli)
Bean leaf beetle
(Cerotoma trifurcata)
Bean pod borer
(Maruca testulalis)
Bean thrips
(Caliothrips fasciatus)
Bedellia orchilella (sweetpotato
leafminer) 79, 130
Beet armyworm
(Spodoptera exigua)
Beet leafhopper
(Circulifer tenellus)
Beet leafminer
(Pegomya betae)
Beet webworm
(Loxostege sticticalis)
Bermudagrass mite
(Eriophyes cynodonensis)
Bertha armyworm
(Malestra configurata)

Berytinus minor (a stilt bug)
11
Birch casebearer
(Coleophora fuscadinella)
Birch leafminer
(Fenusa pusilla)
Black citrus aphid
(Toxoptera aurantii)
Black cutworm
(Agrotis ipsilon)
Black flies
346, 366, 387
Black horse fly
(Tabanus atratus)
Black imported fire ant
(Solenopsis richteri)
Black pecan aphid
(Tinocallis caryaefoliae)
Black pineleaf scale
(Nuculaspis californica)
Black scale
(Saissetia oleae)
Black turpentine beetle
(Dendroctonus terebrans)
Black vine weevil
(Otiorynchus sulcatus)
Blissus insularis (southern chinch bug)
532, 595, 639, 652, 684, 691
Blissus leucopterus hirtus (hairy chinch
bug) 639
Blissus leucopterus leucopterus (chinch
bug) 97, 165, 532, 619, 668, 700
Blueberry bud mite
(Acalitus vaccinii)
Blueberry maggot
(Rhagoletis mendax)
Bluegrass billbug
(Sphenophorus parvulus)
Bluegrass webworm
(Crambus teterrellus)
Boll weevil
(Anthonomus grandis)
Boopeton nubilum (a grasshopper)
431, 674
Bothynus gibbosus (carrot beetle)
303
Bovicola bovis (cattle biting louse)
258
Bovicola ovis (sheep biting louse)
622
Brachycolus asparagi (asparagus aphid)
559, 564
Brachymeria intermedia (a chalcid wasp)
325, 347, 368, 430, 450, 492, 539, 543,
562, 563
Brachystola magna (a grasshopper)
517, 643
Bradysia spp. (sciarid flies)
755
Bradysia impatiens
755, 762
Brevipalpus phoenicis (a flat mite)
275
Bristly roseslug
(Cladius difformis (=isomerus))
Broad mite
(Polyphagotarsonemus latus)
Bronze birch borer
(Agrilus anxius)
Brown dog tick
(Rhipicephalus sanguineus)
Brown garden snail
(Helix aspersa)
Brown mite
(Bryobia rubrioculus)
Brown recluse spider
(Loxosceles reclusa)
Brown soft scale
(Coccus hesperidum)
Brown stink bug
(Euschistus servus)
Browntail moth
(Nygmia phaeorrhoea)

Brown wheat mite
(*Petrobia latens*)
Bruce spanworm
(*Operophtera bruceata*)
Bruchophagus roddi (alfalfa seed chalcid)
555
Bruchus brachialis (vetch bruchid)
284, 302
Bryobia rubrioculus (brown mite)
237
Bucculatrix ainsliella (oak skeletonizer)
288
Bucculatrix thurberiella (cotton leaf-
perforator) 512
Burdock borer
(*Papaipema cataphracta*)
Burrowing nematode
(*Radopholus similis*)

C

Cabbage looper
(*Trichoplusia ni*)
Cabbage maggot
(*Hyalema brassicae*)
Cabbage webworm
(*Hellula rogatalis*)
Cacama valvata (a cicada)
754, 762
Cadra figulilella (raisin moth)
146
Caenurgina erechthea (forage looper)
596, 600, 639, 653
Caladonus coquillettii (a leafhopper)
703
Calico scale
(*Lecanium cerasorum*)
California flatheaded borer
(*Melanophila californica*)
California pearslug
(*Pristiphora abbreviata*)
California red scale
(*Aonidiella aurantii*)
California tortoiseshell
(*Nymphalis californica*)
Caliothrips fasciatus (bean thrips)
537
Caliroa sp. (a sawfly)
498
Caliroa cerasi (pearslug)
468, 687, 756
Caliroa lineata (a sawfly)
11, 498
Caliroa liturata (a sawfly)
498, 538
California fivespined ips
(*Ips confusus*)
Calligrapha scalaris (elm calligrapha)
344
Callosobruchus pulcher (a bruchid)
171
Calocalpe undulata (a geometrid moth)
562
Calomycterus setarius (a Japanese weevil)
622, 624
Calophya triozeomina (a psyllid)
656, 660
Calosoma frigidum (a carabid beetle)
471, 472
Calycomyza ambrosiae (a leafminer fly)
329-330
Camellia scale
(*Lepidosaphes camelliae*)
Camula pellucida (clearwinged grass-
hopper) 190, 430, 431, 450, 494, 518,
540, 563, 604, 659
Camponotus rasilis (a carpenter ant)
129
Camptozygum aequale (= *pinastri*) (a plant
bug) 228, 231
Campylomma verbasci (a mirid bug)
600, 601

Capitophorus elaeagni (an aphid)
167, 171, 769
Capitophorus glandulosus
769
Cardiophorus stolatus (an elaterid
beetle) 9, 79
Caribbean fruit fly
(*Anastrepha suspensa*)
Carmine spider mite
(*Tetranychus cinnabarinus*)
Carneiocephala sagittifera (a cicadellid)
11, 79
Carolina grasshopper
(*Dissosteira carolina*)
Carpophilus lugubris (dusky sap beetle)
442, 507
Carrot beetle
(*Bothynus gibbosus*)
Carrot rust fly
(*Psila rosae*)
Carulaspis minima (an armored scale)
72, 74, 203, 205
Casiniaria infesta (an ichneumon wasp)
293, 392
Cattle biting louse
(*Bovicola bovis*)
Cattle lice
52, 73, 86, 110, 129, 148, 169, 185,
213, 228, 258
Caulocampus acericaulis (maple petiole
borer) 11
Cavariella aegopodii (an aphid)
542, 769
Cecidomyia texana (guar midge)
510
Celama sorghielli (sorghum webworm)
508, 551, 573, 637, 649, 650, 667, 683,
700
Cephus cinctus (wheat stem sawfly)
668
Ceramica picta (zebra caterpillar)
671, 757
Ceratitis capitata (Mediterranean fruit
fly) 100-106, 217-220
Cereal leaf beetle
(*Oulema melanopus*)
Cereal leaf beetle parasites
583
Cereal leaf beetle parasitoids
759
Cerococcus kalmiae (a pit scale)
128
Ceroplastes ceriferus (a soft scale)
344
Ceroplastes cirripediformis (barnacle
scale) 744
Cerotoma trifurcata (bean leaf beetle)
135, 252, 360, 465, 557, 576, 653, 669,
701
Chaetocnema confinis (sweetpotato flea
beetle) 362
Chaetocnema ectypa (desert corn flea
beetle) 298, 337
Chaetocnema pulicaria (corn flea beetle)
250, 281, 298, 316, 337, 357, 378, 442,
464
Chaetosiphon minoe (an aphid)
769
Chaitophorus populifolii
168, 171
Chalcodermus aeneus (cowpea curculio)
686
Cheiloneuromyia javensis (an encyrtid
wasp) 130
Cheirapachus colon (a pteromalid wasp)
28
Cheyletiella yasguri (an itch mite)
169, 171
Chicken mite
(*Dermanyssus gallinae*)
Chilocorus nigrinus (a lady beetle)
81
Chinch bug
(*Blissus leucopterus leucopterus*)

Chinese rose beetle
(Adoretus sinicus)
Chlorochroa ligata (conchuela)
131
Chlorochroa sayi (Say stink bug)
422, 442, 464, 465, 484, 532, 533, 595,
614, 638, 655, 668, 712, 725
Chlorochroa uhleri (a stink bug)
513
Chlorotabanus crepuscularis (a tabanid
fly) 387
Chorebus rondanii (a braconid wasp)
729
Choriopsis bovis (a scab mite)
73
Choristoneura conflictana (large aspen
tortrix) 152, 175, 177, 447
Choristoneura fumiferana (spruce budworm)
152, 175, 176, 364, 384, 404, 447, 489,
539, 601
Choristoneura occidentalis (western spruce
budworm) 174
Chortinaspis subchortina (an armored
scale) 11
Chromaphis juglandicola (walnut aphid)
160, 161, 363, 583
Cinara canadensis (a conifer aphid)
12, 147, 148, 769
Cinara carolina (a conifer aphid)
80, 327, 392, 452
Cinara nitidula (an aphid)
742, 743
Chrysodeixis chalcites (a noctuid moth)
81
Chrysomela scripta (cottonwood leaf
beetle) 238
Chrysopa spp. (green lacewings)
366, 528
Chrysops spp. (tabanid flies)
429
Chrysops geminatus impunctus (a deer fly)
449, 451
Chyliza annulipes (a psilid fly)
288
Cicadas
398
Cinara pergandei (an aphid)
770
Cinara strobili (white pine aphid)
770
Circulifer tenellus (beet leafhopper)
27, 89, 145, 201, 209, 235, 249, 273,
308, 315, 395, 439, 459, 479, 503, 699
Citrus blackfly
(Aleurocanthus woglumi)
Citrus red mite
(Panonychus citri)
Citrus rust mite
(Phyllocoptruta oleivora)
Citrus snow scale
(Unaspis citri)
Citrus swallowtail
(Papilio xuthus)
Citrus thrips
(Scirtothrips citri)
Citrus whitefly
(Dialeurodes citri)
Cladius difformis (= isonerus) (bristly
roseslug) 743, 744
Clastoptera achatina (pecan spittlebug)
237, 446
Clausenia purpurea (an encyrtid wasp)
230
Clearwinged grasshopper
(Camnula pellucida)
Clepsis fucans (a tortricid moth)
287, 291
Cloudywinged whitefly
(Dialeurodes citrifolii)
Clover head weevil
(Hypera meles)
Clover leaf weevil
(Hypera punctata)
Clover root curculio
(Sitona hispidulus)
Coccidoxenus mexicanus (an encyrtid wasp)
691, 744
Coccinella septempunctata (a lady beetle)
310
Coccinella septempunctata var. brucki (an
aphid) 426
Coccophagus albicoxa (a euphid wasp)
214, 215
Coccus acuminatus (a soft scale)
130
Coccus hesperidum (brown soft scale)
4
Coccygomimus pedalis (an ichneumon wasp)
12
Cochliomyia hominivorax (screwworm)
5, 27, 51, 73, 86, 110, 128, 147, 155,
168, 184, 204, 213, 228, 238, 257, 272,
289, 306, 323, 344, 364, 386, 405, 428,
448, 469, 490, 516, 538, 561, 602, 621,
642, 689, 704, 714, 742, 758, 779
Cochliomyia macellaria (secondary
screwworm) 704, 715, 716
Coconut leafroller
(Hedylepta blackburni)
Coconut scale
(Aspidiotus destructor)
Codling moth
(Laspeyresia pomonella)
Coelophora inaequalis var. novempunctata
(a lady beetle) 660
Colaspis pini (pine colaspis)
405
Coleomegilla maculata (a lady beetle)
52, 86, 169, 185, 258, 308, 347, 366,
492, 781
Coleophora fuscadinella (birch
casebearer) 305
Coleophora laricella (larch casebearer)
174, 175, 305, 322
Colias eurytheme (alfalfa caterpillar)
118, 135, 183, 253, 510, 575, 576, 639,
668
Colliuris pennsylvanicus (a carabid
beetle) 652, 660
Colorado potato beetle
(Leptinotarsa decemlineata)
Common cattle grub
(Hypoderma lineatum)
Common damsel bug
(Nabis americanus)
Comstock mealybug
(Pseudococcus comstocki)
Conchuela
(Chlorochroa ligata)
Confused flour beetle
(Tribolium confusum)
Conifer sawflies
515
Conomyrma spp. (ants)
498
Conomyrma bicolor
498
Conomyrma flavopectus
498
Conomyrma insana (pyramid ant)
498
Conotelus mexicanus (a sap beetle)
756, 777, 782
Conotrachelus nenuphar (plum curculio)
137, 304
Contarinia sorghicola (sorghum midge)
97, 337, 398, 422, 442, 464, 483, 509,
574, 594, 614, 638, 651, 668, 700, 724
Convergent lady beetle
(Hippodamia convergens)
Cooley spruce gall aphid
(Adelges cooleyi)
Coquillettia spp. (mosquitoes)
622
Coquillettia perturbans (a mosquito)
386, 406, 449, 470, 516, 539, 543,
562, 658

Cordillacris crenulata (a grasshopper)

674

Cordillacris occipitalis

367

Coridius janus (red pumpkin bug)

197

Corn blotch leafminer

(Agromyza parvicornis)

Corn earworm

(Heliothis zea)

Cornfield ant

(Lasius alienus)

Corn flea beetle

(Chaetocnema pulicaria)

Corn leaf aphid

(Rhopalosiphum maidis)

Corn planthopper

(Peregrinus maidis)

Corythucha spp. (lace bugs)

271, 274

Corythucha confraterna

271, 274

Corythucha montivaga

271, 274

Corythucha padi

271, 274

Cotinis nitida (green June beetle)

509

Cotton aphid

(Aphis gossypii)

Cotton fleahopper

(Pseudatomoscelis seriatus)

Cotton leafperforator

(Bucculatrix thurberiella)

Cottonwood leaf beetle

(Chrysomela scripta)

Coulee cricket

(Peranabrus scabricollis)

Cowpea curculio

(Chalcodermus aeneus)

Crambus sp. (a grass webworm)

684

Crambus teterrellus (bluegrass webworm)

594

Crambus trisectus (a sod webworm)

740

Cranberry fruitworm

(Acrobasis vaccinii)

Crapemyrtle aphid

(Tinocallis kahawaluokalani)

Cratypedes neglectus neglectus

(a grasshopper) 185, 186

Crioceris spp. (asparagus beetles)

320

Crioceris asparagi (asparagus beetle)

237, 253, 320

Crioceris duodecimpunctata (spotted

asparagus beetle) 320

Crymodes devastator (glassy cutworm)

600

Cryptoblabes gnidiella (a pyralid moth)

74

Cryptolaemus montrouzieri (a lady beetle)

254, 426, 605, 744

Cryptomyzus ribis (currant aphid)

363

Cryptophlebia ombrodelta (litchi fruit

moth) 293

Ctenicera pruina (Great Basin wire-

worm) 237

Cuban laural thrips

(Gynaikothrips ficorum)

Culex spp. (mosquitoes)

73, 112, 155, 159, 187, 230, 293, 323,

429, 519, 564, 603, 622, 643, 676, 731

Culex pipiens

583

Culex pipiens pipiens (northern house

mosquito) 323, 406, 429, 561, 622, 673

Culex pipiens quinquefasciatus (southern

house mosquito) 7, 81, 112, 187, 230,

257, 293, 362, 429, 676, 731

Culex pipiens quinque maculatus

519, 564

Culex restuans

239, 240, 323, 345, 386, 406, 429

Culex salinarius

289

Culex tarsalis

257, 323, 562

Culex territans

386, 429, 583, 673

Culicoides spp. (biting midges)

346

Culiseta inornata (a mosquito)

257, 323, 345, 386, 689

Curculio caryae (pecan weevil)

5, 138-139, 287, 620, 642, 656, 687,

714, 727, 741, 743, 755

Curinus coeruleus (a lady beetle)

452

Currant aphid

(Cryptomyzus ribis)

Currant borer

(Synanthedon tipuliformis)

Cutworms

320

Cylas formicarius elegantulus (sweetpotato

weevil) 660, 761

Cylindrocopturus adpersus (a weevil)

777, 782

Cynthia cardui (painted lady)

253, 273, 275, 289, 307, 324, 346, 360,

361, 363, 366, 381, 382, 387, 400, 402,

407, 424, 429, 444, 445, 449, 465, 466,

486, 493

Cyrtopistomus castaneus (Asiatic oak

weevil) 447, 451, 488, 490, 513, 515,

581, 585

Cyrtorhinus fulvus (a predacious mirid

bug) 28, 215

Cysteodemus wislizeni (a blister beetle)

623

Croesia albicomana (oak leaf-tier)

153, 364

D

Dactynotus cirsii (an aphid)

780, 782

Dactynotus pseudambrosiae

706, 729

Dacus curcurbitae (melon fly)

7, 28

Dacus dorsalis (oriental fruit fly)

192, 675, 676

Dalmannia pacifica (a conopid fly)

205

Dalmannia picta

205

Darksided cutworm

(Euxoa messoria)

Dasychira plagiata (pine tussock moth)

305

Dasylophia anguina (a notodontid moth)

447, 451

Datana spp. (webworms)

727

Datana integerrima (walnut caterpillar)

139, 427, 428, 489, 514, 560, 580, 620,

656, 672, 687, 702, 713, 727, 741

Datana ministra (yellownecked caterpillar)

656, 657, 672, 687, 727

Daylily thrips

(Frankliniella hemerocallis)

Decrosiphon corynothris (an aphid)

9

Dectes texanus texanus (a cerambycid

beetle) 557, 564, 660, 701, 754

Deer flies

449

Dendroctonus brevicomis (western pine beetle)

beetle) 174

Dendroctonus frontalis (southern pine

beetle) 86, 110, 147, 150, 151, 167,

171, 175, 203, 213, 215, 271, 275, 287,

- 305, 322, 344, 364, 427, 581, 621, 714,
727, 742, 756, 757, 779
- Dendroctonus ponderosae (mountain pine beetle) 4, 150, 151, 173
- Dendroctonus pseudotsugae (Douglas fir beetle) 150, 151, 173
- Dendroctonus rufipennis (spruce beetle) 173, 174
- Dendroctonus terebrans (black turpentine beetle) 72, 175, 305, 779
- Dendroctonus valens (red turpentine beetle) 621, 624
- Dendrotettix quercus (a grasshopper) 703
- Deodar weevil (Pissodes nemorensis) 73
- Dermacentor albipictus (winter tick) 73, 780
- Dermacentor andersoni (Rocky Mountain wood tick) 272
- Dermacentor variabilis (American dog tick) 258, 272, 346, 517
- Dermanyssus gallinae (chicken mite) 228
- Dermestes frischii (a dermestid beetle) 258
- Desert corn flea beetle (Chaetocnema ectypa)
- Desmia funeralis (grape leafroller) 446
- Diabrotica spp. (corn rootworms) 3, 93, 95, 96, 282, 337, 398, 422, 442, 463, 483, 506, 507, 554, 573, 585, 594, 613, 615, 637, 752
- Diabrotica longicornis (northern corn rootworm) 93, 95, 96, 210, 215, 261, 398, 463, 464, 483, 506, 507, 532, 554, 555, 574, 585, 594, 613, 614, 637, 644, 651.
- Diabrotica undecimpunctata howardi (southern corn rootworm) 120, 209, 223, 250, 282, 303, 360, 403, 464, 466, 483, 506, 507, 531, 597, 752
- Diabrotica undecimpunctata undecimpunctata (western spotted cucumber beetle) 559
- Diabrotica virgifera (western corn rootworm) 12, 93, 95-96, 124, 165, 171, 398, 422, 442, 463, 483, 506, 507, 513, 531, 543, 554, 564, 573, 585, 594, 613, 624, 637-638, 644, 651, 660, 752, 762
- Diadegma insularis (an ichneumon wasp) 8, 130, 327, 473, 744
- Dialeurodes spp. (whiteflies) 140
- Dialeurodes citri (citrus whitefly) 140
- Dialeurodes citrifolii (cloudywinged whitefly) 80
- Diamondback moth (Plutella xylostella)
- Diaparsis spp. (ichneumon wasps) 325, 347, 387, 583, 674, 760
- Diaparsis carnifer 161, 188
- Diaphania nitidalis (pickleworm) 723, 777
- Diapheromera femorata (walkingstick) 4, 8, 657, 689, 691, 728, 742
- Diaprepes abbreviatus (West Indian sugarcane root borer) 193
- Diaspidiotus liquidambaris (an armored scale) 620, 624, 703
- Diatraea crambidoides (southern cornstalk borer) 95, 281
- Diatraea grandiosella (southwestern corn borer) 94, 127, 281, 336, 398, 463, 483, 530, 573, 651, 683, 699, 706, 716, 724, 729, 740, 743, 753, 762
- Dirachys cavus (a pteromalid wasp) 493
- Differential grasshopper (Melanoplus differentialis)
- Diglyphus intermedius (a eulophid wasp) 169, 171
- Dikraneura carneola (a leafhopper) 209
- Diocalandra taitensis (Tahitian coconut weevil) 130
- Dioplazon laetatorius (an ichneumon wasp) 6, 8
- Dissosteira carolina (Carolina grasshopper) 510, 575, 595
- Dissosteira longipennis (High Plains grasshopper) 191, 623, 674
- Dogwood twig borer (Oberea tripunctata)
- Dorymyrmex spp. (ants) 498
- Dorymyrmex bicolor (an ant) 498
- Dorymyrmex flavopectus (an ant) 498
- Dorymyrmex pyramicus (an ant) 498
- Douglas fir beetle (Dendroctonus pseudotsugae)
- Douglas fir tussock moth (Homocampa pseudotsugata)
- Drepanopterna femoratum (a grasshopper) 191, 431, 623, 674
- Driedfruit moth (Vitula edmandsae serratilinaeella)
- Drosophila virilis (a drosophilid fly) 349
- Drosophilid flies 368
- Duplaspidotus claviger (an armored scale) 781
- Duplaspidotus tesseraatus (an armored scale) 203, 205
- Dusky sap beetle (Carpophilus lugubris)
- Dysaphis plantaginea (rosy apple aphid) 304
- E**
- Ear tick (Otobius megnini)
- Eastern spruce gall aphid (Adelges abietis)
- Eastern subterranean termite (Reticulitermes flavipes)
- Eastern tent caterpillar (Malacosoma americanum)
- Ectomocoris biguttulus (a reduviid bug) 9, 79
- Eggplant flea beetle (Epitrix fuscula)
- Egyptian alfalfa weevil (Hypera brunneipennis)
- Elasmopalpus lignosellus (lesser cornstalk borer) 120, 135, 265, 326, 336, 422, 465, 511, 530, 534, 557, 576, 597, 617, 640, 670, 671, 684, 685, 712, 753
- Elm calligrapha (Calligrapha scalaris)
- Elm leaf beetle (Pyrrhalta luteola)
- Elm spanworm (Ennomos subsignarius)
- Emmesomyia socialis (an anthomyiid fly) 331-332
- Emmesomyia villica (an anthomyiid fly) 331-332
- Empicoris orthoneuron (a reduviid bug) 12
- Empoasca fabae (potato leafhopper) 92, 297, 336, 356, 377, 397, 420, 440, 461, 481-482, 505-506, 529, 533, 572, 592, 615, 650

English grain aphid
 (Macrosiphum avenae)
Ennomos subsignarius (elm spanworm)
 150, 153, 213
Eotetranychus multidigituli (a spider mite) 12
Epargyreus clarus (silverspotted skipper)
 513, 515, 580
Ephestia elutella (tobacco moth)
 641
Epilachna varivestis (Mexican bean beetle)
 119, 135, 340, 360, 381, 382, 400, 465,
 511, 534, 557, 576, 596, 597, 616, 640,
 653, 669, 685, 700, 701
Epitrimerus pyri (pear rust mite)
 537
Epitrix brevis (a flea beetle)
 382
Epitrix cucumeris (potato flea beetle)
 320, 382, 402, 445
Epitrix fuscata (eggplant flea beetle)
 361, 382, 445
Epitrix hirtipennis (tobacco flea beetle)
 122, 130, 341, 349, 361, 381, 382, 401,
 472, 512, 535, 578, 598, 619, 641, 706
Erannis tiliaria (linden looper)
 385, 779, 782
Eriborus terebrans (an ichneumon wasp)
 160, 161, 759
Eriocampa ovata (a sawfly)
 275
Erionota thrax (banana skipper)
 675, 676, 691, 706, 744
Eriophyes caryae (pecan leafroll mite)
 469
Eriophyes cynodontiensis (Bermudagrass mite) 181, 236, 700
Eriosoma lanigerum (woolly apple aphid)
 310, 562
Erythroneura aclys (a cicadellid leafhopper) 514
Estigmene acrea (saltmarsh caterpillar)
 361, 381, 383, 686, 688, 702, 713, 726.
 Light traps: 205, 216, 230, 240, 260,
 276, 292, 311, 328, 350-351, 369-370,
 390-391, 411-412, 433, 453-454, 474-
 475, 496-497, 520-521, 544-545, 565-
 566, 586-587, 606-607, 626-627, 645-
 646, 661-662, 679, 692, 707, 718
Eucelatoria armigera (a tachina fly)
 293
Eucosma sonomana (an olethreutid moth)
 778, 782
Eutheola rugiceps (sugarcane beetle)
 336
Eulophid wasps
 388
Euonymus scale
 (Unaspis euonymi)
Euplectrus piathypenae (a eulophid wasp)
 781
European alder leafminer
 (Fenusa dohrnii)
European apple sawfly
 (Hoplocampa testudinea)
European chafer
 (Amphimallon majalis)
European corn borer
 (Ostrinia nubilalis)
European crane fly
 (Tipula paludosa)
European earwig
 (Forficula auricularia)
European pine sawfly
 (Neodiprion sertifer)
European pine shoot moth
 (Rhyacionia buoliana)
European red mite
 (Panonychus ulmi)
Eurytetranychus buxi (a spider mite)
 12
Euscepes postfasciatus (West Indian sweetpotato weevil) 660

Euschistus conspersus (a stink bug)
 384
Euschistus servus (brown stink bug)
 654, 685
Eutetranychus banksi (Texas citrus mite)
 139
Euthyrhynchus floridanus (a pentatomid)
 111, 688, 691
Eutrombidium trigonum (red grasshopper mite)
 584
Euvospivora sp., prob. decipiens
 (a tachina fly) 362, 368
Euxoa auxiliaris (army cutworm)
 12, 88, 123, 181, 223, 235, 249, 265,
 281, 297, 315, 335, 611, 683, 711, 712.
 Light traps: 351, 369, 390, 433, 454,
 474, 496-497, 520, 544, 586, 606, 626,
 645, 661, 679, 692, 707, 718, 730, 745
Euxoa messoria (darksided cutworm)
 341
Euxoa oberfoelli (a noctuid moth)
 215
Euxoa ochrogaster (redbacked cutworm)
 211, 269, 275, 285, 300, 341, 402, 558,
 600
Exorista larvarum (a tachina fly)
 450, 563
Eyespotted bud moth
 (Spilonota ocellana)
Eysarcoris ventralis (a pentatomid bug)
 9, 79

F

Face fly
 (Musca autumnalis)
Fall armyworm
 (Spodoptera frugiperda)
Fall cankerworm
 (Alsophila pomataria)
Fall webworm
 (Hyphantria cunea)
False chinch bug
 (Nysius ericae)
Faronta diffusa (wheat head armyworm)
 Light traps: 276, 292, 311, 328, 351,
 369-370, 390, 411-412, 433-434, 453-
 454, 474-475, 496-497, 520, 544-545,
 565, 586-587, 606, 626-627, 645, 661,
 679, 692, 707, 730, 745
Feltia subterranea (granulate cutworm)
 511, 557, 672. Light traps: 111, 131,
 148, 170, 186, 205, 216, 230, 240, 260,
 276, 292, 311, 350-351, 369-370, 390-
 391, 411, 433-434, 454, 474, 496, 520-
 521, 544-545, 565-566, 586-587, 606,
 626-627, 645-646, 661-662, 679, 692,
 707, 718, 730, 745
Fenusa dohrnii (European alder leafminer)
 513, 516
Fenusa pusilla (birch leafminer)
 448, 469
Ferrisia virgata (striped mealybug)
 165, 171
Florinia externa (an armored scale)
 85, 427, 432
Florinia theae (tea scale)
 4, 344, 349, 742
Fire ant
 (Solenopsis geminata)
Flea beetles
 464
Fleahoppers
 341
Forage looper
 (Caenurgina erecta)
Forcipomyia fusicornis (a ceratopogonid fly) 12, 79
Forest tent caterpillar
 (Malacosoma disstria)
Forficula auricularia (European earwig)
 560, 564

Foxglove aphid
(*Acyrtosiphon solani*)
Frankliniella hemerocallis (daylily
thrips) 79
Frankliniella intonsa (a thrips)
269, 274
Frankliniella occidentalis (western
flower thrips) 212, 225, 320, 426
Fruittree leafroller
(*Archips argyrospilus*)
Fruitworms
183
Fuller rose beetle
(*Pantomorus cervinus*)
Furcicus rectirostris (stone fruit
weevil) 23-24

G

Galeruca rudis (a chrysomelid beetle)
12
Galleria mellonella (greater wax moth)
729
Garden webworm
(*Loxostege rantis*)
Giant African snail
(*Achatina fulica*)
Giant hornet
(*Vespa crabro germana*)
Glassy cutworm
(*Crymodes devastator*)
Glenosticta scitula (a sphecoid wasp)
131
Glischrochilus quadrisignatus (a sap
beetle) 507
Gnathobleda litigiosa (a reduviid bug)
12
Golden nematode
(*Heterodera rostochiensis*)
Gonaxia quadrilateris (a carnivorous
snail) 8
Goniops chrysocoma (a tabanid fly)
492
Granulate cutworm
(*Feltia subterranea*)
Grape leafroller
(*Desmia funeralis*)
Grapeleaf skeletonizer
(*Harrisina americana*)
Grape mealybug
(*Pseudococcus maritimus*)
Grape root borer
(*Vitacea polistiformis*)
Grapevine aphid
(*Aphis illinoisensis*)
Graphocephala cythura (a cicadellid)
12, 79
Graphognathus spp. (whitefringed beetles)
53, 193, 229, 259, 309, 326, 348, 451,
495, 541, 563, 624, 797-800
Graphognathus leucoloma fecundus
53
Graphognathus leucoloma striatus
53, 675
Graphognathus peregrinus
28, 53, 624, 798, 799, 800
Grapholitha molesta (oriental fruit moth)
226, 489, 601
Grass bugs
190, 290, 325, 347, 367, 430, 450, 472
Grasshoppers
99, 119, 185, 190, 214, 229, 259, 274,
290, 308-309, 325-326, 348, 367, 380,
388-389, 399, 400, 408, 430-432, 450,
471, 485, 493, 510, 517-518, 532, 534,
540, 556, 557, 562-563, 573, 583, 594,
596, 604, 615, 623, 640, 643, 652,
653, 659, 668, 669, 674, 686, 690, 705,
715, 743, 760
Grass thrips
(*Anaphothrips obscurus*)
Grass webworm
(*Herpetogramma licarsisalis*)
Gray corn weevil
(*Tanymecus dilaticollis*)
Great ash sphinx
(*Sphinx chersis*)
Great Basin wireworm
(*Ctenicera pruinina*)

Greater wax moth
(*Galleria mellonella*)
Greenbug
(*Schizaphis graminum*)
Green cloverworm
(*Plathypena scabra*)
Greenhouse stone cricket
(*Tachycines asynamoros*)
Greenhouse thrips
(*Heliothrips haemorrhoidalis*)
Greenhouse whitefly
(*Trialeurodes vaporariorum*)
Green June beetle
(*Cotinis nitida*)
Green peach aphid
(*Myzus persicae*)
Green stink bug
(*Acrosternum hilare*)
Greenstriped mapleworm
(*Anisota rubicunda*)
Guar midge
(*Cecidomyia texana*)
Gulf Coast tick
(*Amblyomma maculatum*)
Gynaikothrips ficorum (Cuban laural
thrips) 183, 186, 349
Gypsy moth
(*Porthetria dispar*)
Gyropsylla ilicis (a psyllid)
72

H

Hadrotettix trifasciatus (a grasshopper)
674
Haematobia irritans (horn fly)
5, 129, 148, 155, 158, 169, 184, 204,
213, 238, 257, 272, 289, 306, 324, 345,
365, 386, 387, 405, 528, 448, 470, 491,
516, 539, 562, 582, 603, 621-622, 643,
658, 673, 689, 704, 715, 728, 742, 743,
758, 779
Haematopinus eurysternus (shortnosed
cattle louse) 5, 28, 52, 73, 86, 110,
129, 148, 169, 185, 213, 228, 258, 758,
780
Haematopinus suis (hog louse)
110, 129, 228, 346, 780
Hairy chinch bug
(*Blissus leucopterus hirtus*)
Halisdota argentata (silverspotted tiger
moth) 256
Halticoptera patellana (a pteromalid
wasp) 80, 149, 293, 495
Hamamelistes spinosus (an aphid)
488, 490
Harmonia conformis (a lady beetle)
293
Harrisina americana (grapeleaf
skeletonizer) 227
Harrisina brillians (western grapeleaf
skeletonizer) 140, 409, 410
Hawaiian beet webworm
(*Hymenia recurvalis*)
Head louse
(*Pediculus humanus capitis*)
Hedylecta blackburni (coconut leafroller)
80, 410, 473, 564, 660
Heliothis spp. (bollworms)
121-122, 340, 381, 424, 444, 486, 511,
534, 558, 577, 578, 598, 617, 618, 641,
655, 670, 686, 702, 713, 726, 754
Heliothis virescens (tobacco budworm)
92, 121, 253, 269, 302, 341, 397, 420,
424, 440, 461, 482, 486, 488, 506, 511-
512, 529, 534, 558, 577, 578, 598, 618,
641, 650, 655, 670, 671, 686, 702.
Light traps: 205, 216, 230, 292, 311,
328, 351, 369-370, 390-391, 411, 433,
454, 474, 496, 520, 544-545, 565-566,
586-587, 606, 626-627, 645-646, 661,
679, 692, 707, 718, 730, 745
Heliothis zea (bollworm, corn earworm,
tomato fruitworm) 7, 28, 81, 88, 90,
92, 121, 134, 170, 206, 241, 265, 269,
275, 297, 335, 340, 355, 376, 398, 401,
419, 424-425, 439, 451, 459, 466, 480,
486, 503-504, 511-512, 519, 527, 534,
551, 554, 558, 564, 571, 577, 578, 591,

592, 593, 597, 598, 611-612, 618, 624,
635, 636, 641, 649, 650, 655, 660, 667,
670, 671, 683, 685, 686, 699, 702, 706,
711, 723, 739. Light traps: 186, 205,
216, 230, 240, 260, 276, 292, 311, 328,
350-351, 369-370, 390-391, 411-412, 433-
434, 453-454, 474, 496-497, 520-521,
544-545, 565-566, 586-587, 606-607, 626-
627, 645-646, 661-662, 679, 692, 707,
718, 730, 745

Heliothrips haemorrhoidalis (greenhouse
thrips) 81, 426, 691

Helix aspersa (brown garden snail)
532, 543

Hellula rogatalis (cabbage webworm)
53, 254, 660

Hemerocampa leucostigma (whitemarked
tussock moth) 561, 564, 688, 779

Hemerocampa pseudotsugata (Douglas fir
tussock moth) 152, 167, 174, 322, 427,
428, 447, 490, 581, 657, 778

Hemerocampa vetusta (western tussock
moth) 378

Hemiberlesia diffinis (an armored scale)
288, 291

Hemiberlesia quercicola
147, 148

Hemileuca oliviae (range caterpillar)
27, 193, 368, 389, 494, 541, 563, 585,
743, 761

Hemlock looper
(Lambdina fiscellaria)

Hemlock sawfly
(Neodiprion tsugae)

Herpetogramma licarsisalis (grass
webworm) 79, 130, 392, 542, 644, 676,
717

Herpetogramma phaeopteralis (a grass
webworm) 684, 700

Hesperotettix sp. (a grasshopper)
562

Hesperotettix speciosus (a grasshopper)
431, 674

Hessian fly
(Mayetiola destructor)

Heterocampa guttivitta (saddled
prominent) 153, 451, 488, 490, 513,
515, 562

Heterocampa manteo (variable oakleaf
caterpillar) 153, 175, 305, 515, 602,
621, 624, 656, 657, 672, 703

Heterodera glycines (soybean cyst
nematode) 12, 193, 194, 624, 705

Heterodera rostochiensis (golden
nematode) 190

Heterothrips auranticornis (a thrips)
642

Hickory shuckworm
(Laspeyresia caryana)

High Plains grasshopper
(Dissosteira longipennis)

Hippobosca longipennis (a louse fly)
159, 704, 728, 780

Hippodamia convergens (convergent lady
beetle) 160, 185, 204, 229, 239, 252,
258, 290, 308, 366, 419, 429, 460, 528,
759, 781

Hippodamia tredecimpunctata (a lady
beetle) 258

Hog louse
(Haematopinus suis)

Hollyhock weevil
(Apion longirostre)

Holly leafminer
(Phytomyza ilicis)

Homadula anisocentra (mimosa webworm)
560, 580, 691, 729

Homoeosoma electellum (sunflower moth)
123

Honey bee
(Apis mellifera)

Hoplocampa testudinea (European apple
sawfly) 270, 286

Horn fly
(Haematobia irritans)

House fly
(Musca domestica)

House mouse mite
(Allodermanyssus sanguineus)

Howardia biclavata (mining scale)
203, 230

Hyalopterus pruni (mealy plum aphid)
539

Hydria prunivorata (a geometrid moth)
153

Hydria undulata (a geometrid moth)
513, 515

Hylema antiqua (onion maggot)
383, 467

Hylema brassicae (cabbage maggot)
383

Hylemya platura (seedcorn maggot)
223, 237, 316, 360

Hylephila phyllaeus (a skipper)
130, 230, 495

Hyles lineata (whitelined sphinx)
342, 378

Hylobius pales (pales weevil)
238

Hylotrupes bajulus (oldhouse borer)
110, 111

Hylurgopinus rufipes (native elm bark
beetle) 168

Hymenia recurvalis (Hawaiian beet
webworm) 660

Hypera strigata (lantana defoliator
caterpillar) 81, 187

Hypera spp. (alfalfa weevils)
321, 343, 359, 382

Hypera brunneipennis (Egyptian alfalfa
weevil) 71, 127, 146, 182, 202, 210,
225, 321

Hypera meles (clover head weevil)
117, 210, 252, 254

Hypera nigristrois (lesser clover leaf
weevil) 182

Hypera postica (alfalfa weevil)
3, 6, 27, 51, 63-67, 71, 74, 85, 109,
111, 113-117, 127, 145-146, 161, 166,
181, 182, 201, 209, 210, 214, 223, 224,
236-237, 251-252, 266-268, 274, 283-
284, 300-302, 317-318, 325, 338-339,
347, 349, 358-359, 379-380, 387, 388,
389, 399, 400, 407, 410, 423, 429, 430,
443, 451, 464, 485, 533, 539, 543,
546-548, 555, 574, 585, 595, 600, 615,
624, 639, 669, 701, 713, 725, 741, 743,
754, 776, 781

Hypera punctata (clover leaf weevil)
166, 182, 202, 225, 252, 713, 716

Hyperodes humilis (a weevil)
683

Hyphantria cunea (fall webworm)
139, 147, 151, 154, 363, 404, 446,
468, 489, 514, 537, 561, 580, 581, 582,
602, 604, 620, 656, 657, 658, 672, 687,
702, 713, 727, 741

Hypoaspis nidicorva (a mesostigmatic
mite) 9, 79

Hypoderma spp. (cattle grubs)
129, 147, 168, 213, 257, 272, 289, 306,
345

Hypoderma bovis (northern cattle grub)
168, 257, 272, 289, 345

Hypoderma lineatum (common cattle grub)
5, 52, 73, 86, 110, 129, 147, 157,
168, 345, 386, 603, 758, 780

Hyposoter fugitivus (an ichneumon wasp)
12, 644

I

Icerya purchasi (cottony cushion scale)
128, 756
Ichneumon wasps
6, 325, 347, 387
Ichthyura inclusa (poplar tentmaker)
688, 691
Imported cabbageworm
(Pieris rapae)
Imported willow leaf beetle
(Plagiodera versicolora)
Indian meal moth
(Plodia interpunctella)
Inopus rubriceps (a sod fly)
776, 782
Ips spp. (engraver beetles)
167, 175, 779
Ips calligraphus
110
Ips confusus (California fivespined
ips) 4
Irbisia spp. (grass bugs)
190, 325, 348, 367, 430, 450, 472
Irbisia brachycera
190, 290
Irbisia pacifica
347
Itame argillacearia (a geometrid moth)
322
Itoplectis conquisitor (an ichneumon
wasp) 12
Ivy aphid
(Aphis hederæ)
Ixodes pacificus (a hardbacked tick)
73

J

Jack pine sawfly
(Neodiprion pratti banksianæ)
Japanese beetle
(Popillia japonica)

K

Keiferia lycopersicella (tomato pinworm)
79, 109, 134, 167, 342, 542, 579, 644,
691, 762
Khapra beetle
(Trogoderma granarium)
Koa haole looper
(Anacamptodes fragilaria)

L

Labops spp. (grass bugs)
190, 347, 348, 407, 430, 450
Labops hesperius
12, 214, 259, 290, 325, 348, 367, 407,
430, 450
Labops hirtus
190, 430
Labops utahensis
450, 472
Lady beetles
185, 258, 366, 429, 449, 492, 623, 781
Lambdina athasaria athasaria (a geometrid
moth) 364
Lambdina fiscellaria (hemlock looper)
364
Lambdina fiscellaria lugubrosa (western
hemlock looper) 175
Lantana cerambycid
(Plagiodhammus spinipennis)
Lantana defoliator caterpillar
(Hyponomeuta strigata)
Lantana hispid
(Uroplata girardi)

Larch casebearer
(Coleophora laricella)
Larch sawfly
(Pristiphora erichsonii)
Large aspen tortrix
(Choristoneura conflictana)
Larger elm leaf beetle
(Monocesta coryli)
Larinus carlinae (a weevil)
9
Lasius alienus (cornfield ant)
509
Laspeyresia caryana (hickory shuckworm)
146, 446, 468, 687, 689, 714, 741, 755
Laspeyresia pomonella (codling moth)
137, 238, 255, 270, 286, 321, 343, 384,
404, 489, 560, 610
Latreutes hesperus (a combfooted
spider) 673, 689, 704, 715
Latreutes variolus (a combfooted
spider) 407, 410, 539, 543
Lawn armyworm
(Spodoptera mauritia)
Lecanium cerasorum (calico scale)
304
Lecanium pruinosum (a soft scale)
270
Lecanium quercifex (oak lecanium)
238, 271
Lecanodiaspis prosopidis
(a lecanodiaspid scale) 344, 349
Leek moth
(Acrolepis assectella)
Lema trilineata (three-lined potato beetle)
28
Lemophagus curtus (an ichneumon wasp)
9, 160, 188, 325, 347, 583, 760
Lepidosaphes beckii (purple scale)
4, 8
Lepidosaphes camelliae (camellia scale)
72, 74
Lepidosaphes maskelli (an armored scale)
72, 74, 203, 205
Lepidosaphes yanagicola (an armored scale)
581, 585, 778
Lepidosaphes ulmi (oystershell scale)
183, 703
Leptinotarsa decemlineata (Colorado
potato beetle) 133, 285, 303, 361, 382,
402, 426, 445, 467, 671
Leptobyrsa decora (a tingid bug)
7, 426, 495, 579, 706
Leptopterna spp. (grass bugs)
190
Lesser clover leaf weevil
(Hypera nigrostris)
Lesser cornstalk borer
(Elasmopalpus lignosellus)
Lesser peachtree borer
(Synanthedon pictipes)
Leucogonia californica (a gelechiid moth)
98
Leucophaea maderae (Madeira cockroach)
14
Leucophenga maculosa (a drosophilid fly)
349
Leucopis nigriluna (a chamaemyiid fly)
579
Limonius californicus (sugarbeet wireworm)
357
Limothrips denticornis (barley thrips)
99, 378
Linden looper
(Erannis tiliaria)
Lindorus lophanthæ (a lady beetle)
7, 53, 81, 254, 426, 564, 605, 676, 759,
782
Linognathus vituli (longnosed cattle louse)
73, 86, 148, 185, 213, 258, 758, 780
Losomaphis berberidis (an aphid)
770
Liriomyza spp. (leafminer flies)
7, 28, 53, 74, 87, 112, 149, 169, 170,
206, 241, 254, 452, 495, 564, 625, 644,
660, 691, 717, 735-736, 744, 777
Liriomyza brassicae
735
Liriomyza huidobrensis
735
Liriomyza munda
735

Liriomyza pusilla (a leaf miner)

735

Liriomyza sativae

735

Liriomyza trifoliarum

735

Liriomyza trifolii

254, 735

Lissorhoptrus oryzophilus (rice water weevil) 337, 422

Listroderes costirostris obliquus

(vegetable weevil) 202, 211, 215, 226

Litchi fruit moth

(Cryptophlebia ombrodelta)

Lithocolletis tremuloidella (aspen

blotchminer) 447

Lithophane laticinerea (a noctuid moth)

183

Lithophane unimoda

183

Locust borer

(Megacyllene robiniae)

Locust leafminer

(Xenochalepus dorsalis)

Lone star tick

(Amblyomma americanum)

Longitarsus jacobaeae (a flea beetle)

715, 759

Longnosed cattle louse

(Linognathus vituli)

Longtailed mealybug

(Pseudococcus longispinus)

Loxagrotis albicosta (western bean

cutworm) 508, 530, 554, 613, 739

Loxosceles reclusa (brown recluse

spider) 86, 87, 185, 449, 715, 716

Loxosceles rufescens (a scytoid spider)

14

Loxostege rantisalis (garden webworm)

253, 485, 533, 639, 700

Loxostege sticticalis (beet webworm)

644. Light traps: 390, 453, 475, 497,

521, 544-545, 565, 586, 606, 626

Lyctus brunneus (a powderpost beetle)

5, 14

Lygus spp. (lygus bugs)

227, 424, 484, 510, 533, 575, 578, 595,

640, 655

Lygus elisus

485, 510, 595

Lygus hesperus

485, 510, 595, 598

Lygus lineolaris (tarnished plant bug)

137, 138, 166, 236, 269, 339, 341, 400,

401, 466, 487, 510, 512, 533, 535, 558,

642

Lysiphlebus sp. (a braconid wasp)

528, 572, 592, 612

Lysiphlebus testaceipes

79, 87, 90, 91-92, 130, 160,

376, 396, 481, 505, 528, 552, 572

M

Macchiademus diplopterus (South African

grain bug) 733-734

Macrosiphoniella sanborni (chrysanthemum

aphid) 770

Macrosiphum avenae (English grain aphid)

27, 98, 109, 127, 145, 160, 209, 235,

250, 266, 282, 298, 299, 316, 337, 357,

366, 376, 420, 423, 442, 464, 509, 553

Macrosiphum creelii (a grain aphid)

443

Macrosiphum euphorbiae (potato aphid)

487, 770

Macrosiphum liriiodendri (tuliptree aphid)

366

Macrosteles fascifrons (aster leafhopper)

92, 249, 297, 315, 335, 355, 375, 395,

551, 667, 711

Madeira cockroach

(Leucophaea maderae)

Magicalcica septendecim (periodical cicada)

385, 405, 469

Maize billbug

(Sphenophorus maidis)

Malacosoma spp. (tent caterpillars)

175

Malacosoma americanum (eastern tent

caterpillar) 73, 154, 168, 184, 203,

212, 227, 238, 255, 256, 270, 288, 291,

322, 385

Malacosoma californicum (western tent

caterpillar) 282

Malacosoma disstria (forest tent cater-

pillar) 151, 155, 176, 184, 212, 227,

256, 385, 451, 538

Mamestra configurata (bertha armyworm)

642

Manduca spp. (hornworms)

3, 612, 636

Manduca quinquemaculata (tomato hornworm)

3, 362, 420, 529, 612, 636. Light traps:

276, 351, 370, 411, 433, 454, 475, 496,

520, 544-545, 565-566, 586, 606, 626-627,

645-646, 661, 692

Manduca sexta (tobacco hornworm)

3, 92, 93, 122, 420, 440, 461, 506, 529,

612, 636. Light traps: 292, 369-370,

391, 433, 454, 474, 496, 520-521, 544-

545, 565-566, 586, 606, 626-627, 645-

646, 661-662, 679, 692, 707, 718

Maple leafcutter

(Paraclemsia acerifoliella)

Maple petiole borer

(Caulocampus acericaulis)

Maruca testalis (bean pod borer)

170

Masonaphis lambersi (an aphid)

537, 543

Matsucoccus resinosae (red pine scale)

256

Mayetiola destructor (Hessian fly)

51, 98, 201, 223, 235, 266, 282, 337,

378, 555

McDaniel spider mite

(Tetranychus mcdanieli)

Meadow spittlebug

(Philaenus spumarius)

Mealy plum aphid

(Hyalopterus pruni)

Mediterranean fruit fly

(Ceratitis capitata)

Megachile rotundata (alfalfa leafcutter

bee) 366, 407, 540

Megacyllene robiniae (locust borer)

703

Melanogrammyza phaseoli (bean fly)

80, 81, 87, 149, 170, 293, 495, 605,

691, 731

Melanophila californica (California

flatheaded borer) 167

Melanoplus spp. (grasshoppers)

259, 348, 389, 408, 431, 471, 493, 517,

584, 623, 659, 690

Melanoplus angustipennis

584

Melanoplus bivittatus (two-striped grass-

hopper) 190, 191, 259, 274, 290-291,

308, 325, 326, 348, 368, 380, 388, 399-

400, 408, 430, 431, 432, 450, 471, 493-

494, 517, 518, 532, 540, 562, 563, 584,

595, 604, 623, 674, 690, 705

Melanoplus confusus

308, 326, 431

Melanoplus dawsoni

431

Melanoplus differentialis (differential

grasshopper) 99, 119, 399-400, 431,

450, 471, 493, 517, 557, 584, 595, 659,

690, 705

Melanoplus femurrubrum (redlegged grass-

hopper) 99, 119, 191, 202, 308, 388,

400, 443, 445, 471, 485, 493, 510, 556,

575, 595, 598, 669, 690, 705

Melanoplus foedus

562, 623

Melanoplus infantilis

540

Melanoplus lakinus

715

Melanoplus occidentalis

191, 431, 623, 674

Melanoplus packardii (Packard grass-

hopper) 274, 308, 325, 493, 517, 518,

584, 623, 674

Melanoplus sanguinipes (migratory grass-

hopper) 119, 240, 259, 274, 290-291,

308, 325, 326, 368, 388-389, 400, 408

430, 431, 432, 450, 471, 493-494, 517,
518, 540, 562, 563, 584, 604, 659, 674,
690, 743
Melanoplus splendidus
389
Melanoplus yarrowii
674, 675
Melanotus communis (a wireworm)
165
Melanotus dichrous (a click beetle)
472
Melipotris indomita (a noctuid moth)
74, 80, 112, 327, 349, 410, 605
Meloe sp. (a blister beetle)
204
Meloe niger (a black blister beetle)
689
Melomenis antillarum (a flatid bug)
215
Melon fly
(Dacus curcurbitae)
Melophagus ovinus (sheep ked)
289, 307, 346
Meromyza americana (wheat stem maggot)
422
Metator pardalinus (a grasshopper)
293, 674
Meteorus pulchricornis (a braconid wasp)
563
Metrioptera roesseli (a grasshopper)
14, 423
Mexican bean beetle
(Epilachna varivestis)
Mexican fruit fly
(Anastrepha ludens)
Mexican leafroller
(Amorbia emigratella)
Microctonus aethiops (a braconid wasp)
114, 160, 161, 214, 215, 359, 380, 388,
407, 430, 432, 539
Microctonus colesi
161, 325, 326
Microlarinus spp. (puncturevine weevils)
658
Microlarinus laeynii (a puncturevine
seed weevil) 600, 604, 623, 658
Microlarinus lypriformis (a puncturevine
stem weevil) 7, 14, 658
Micromyzus formosanus (an aphid)
535, 543
Microplitis croceipes (a braconid wasp)
702
Migratory grasshopper
(Melanoplus sanguinipes)
Mimosa webworm
(Homadula anisocentra)
Mindarus abietinus (balsam twig aphid)
150
Mining scale
(Howardia biclavus)
Minthozelia ruficauda (a tachina fly)
781
Monarthrum fasciatum (a bark beetle)
14
Monellia spp. (yellow pecan aphids)
384, 404, 468, 514, 580, 672
Monellia microsetosa (an aphid)
770
Monkeypod moth
(Polydesma umbricola)
Monocesta coryli (larger elm leaf
beetle) 688, 691
Monoctenus melliceps (a juniper sawfly)
14
Montandoniella moraguesi (an anthocorid
bug) 349
Morganella cueroensis (a diaspidd
scale) 227
Mormon cricket
(Anabrus simplex)
Mosquitoes
73, 81, 159, 204, 228, 239, 257, 272,
289, 293, 306, 323, 345, 365, 386,
406, 429, 448, 470, 492, 516, 538,
561-562, 583, 603, 622, 643, 658, 673,
689, 704, 780
Mountain ash sawfly
(Pristiphora geniculata)
Mountain pine beetle
(Dendroctonus ponderosae)

Mourningcloak butterfly
(Nymphalis antiopa)
Musca autumnalis (face fly)
128, 131, 155, 157, 169, 184, 213, 238,
240, 256, 272, 289, 306, 323, 345, 365,
386, 405, 510, 428, 432, 448, 451, 469,
472, 488, 491, 516, 538, 543, 561, 582,
602, 621, 643, 657, 660, 673, 677, 715,
716, 742, 758, 779-780, 782
Musca domestica (house fly)
157, 387, 470, 562, 583, 603, 621, 677
Muscaphis musci (an aphid)
8
Myzocallis bella (an aphid)
770
Myzus persicae (green peach aphid)
4, 27, 28, 51, 71, 109, 122, 127, 133,
140, 138, 146, 167, 187, 202, 302, 303,
304, 320, 321, 426, 467, 487, 512, 513,
535, 536, 558, 559, 578, 755, 770

N

Nabis spp. (damselfly bugs)
170, 229, 290, 366, 781
Nabis amiciferis (common damselfly bug)
117
Nantucket pine tip moth
(Rhyacionia frustana)
Nasonovia (Hyperomyzus) lactucae (an aphid)
542
Nasonovia pallida
167, 171
Native elm bark beetle
(Hylurgopinus rufipes)
Native holly leafminer
(Phytomyza ilicicola)
Navel orangeworm
(Parameylois transitella)
Neoceruraphis viburnicola (snowball
aphid) 770
Neodiprion spp. (pine sawflies)
344
Neodiprion excitans (a conifer sawfly)
405, 515
Neodiprion lecontei (redheaded pine sawfly)
176, 673, 688, 691, 703, 706
Neodiprion pinetum (a sawfly)
515
Neodiprion pratti banksianae (jack pine
sawfly) 176
Neodiprion pratti pratti (a conifer
sawfly) 152, 322, 326, 344, 349
Neodiprion sertifer (European pine sawfly)
176, 344
Neodiprion taedae linearis (a conifer
sawfly) 152, 176, 203, 271, 274, 305, 344
Neodiprion tsugae (hemlock sawfly)
174, 175
Neolasiotera nodulosa (a cecidomyiid
midge) 14
Neophasia menapia (pine butterfly)
174, 384
Neoprociphilus aceris (an aphid)
742, 743
Neosymydobius annulatus (an aphid)
770
New Guinea sugarcane weevil
(Rhabdoscelus obscurus)
Nezara viridula (southern green stink
bug) 53, 81, 275, 426, 452, 542, 654,
685, 701, 744
Nicentrus saccharinus (a sugarcane
weevil) 9
Nomia melanderi (alkali bee)
204, 366, 689
Northern cattle grub
(Hypoderma bovis)
Northern corn rootworm
(Diabrotica longicornis)
Northern fowl mite
(Ornithonyssus sylviarum)
Northern house mosquito
(Culex pipiens pipiens)
Northern pine weevil
(Pissodes approximatus)
Norway maple aphid
(Periphyllus lyropictus)

Nuculaspis californica (black pineleaf scale) 203, 490
Nygma phaeorrhaea (browntail moth) 188
Nylanderia spp. (ants) 498
Nymphalis antiopa (mourningcloak butterfly) 385
Nymphalis californica (California tortoiseshell) 484, 560
Nysius ericae (false chinch bug) 99, 401, 614, 638

Oak leaftier
 (Croesia albicomana)
 Oak lecanium
 (Lecanium quercifex)
 Oak skeletonizer
 (Bucculatrix ainsliella)
 Oak webworm
 (Archips fervidanus)
 Oakworms
 175
Oberea tripunctata (dogwood twig borer) 757, 762
Octotoma scabripennis (a chrysomelid beetle) 426, 495, 579, 744
Odonaspis saccharicaulis (an armored scale) 3, 8
Oebalus pugnax (rice stink bug) 250, 266
Oedaleonotus enigma (a grasshopper) 190, 191, 274, 291, 325, 326, 367, 368, 389, 408, 431, 432, 518, 563, 584
Oedaleothrips hookeri (a thrips) 326
Oedaleus abruptus
 349
Okanagana spp. (cicadas) 398
 Oldhouse borer
 (Hylotrupes bajulus)
Olesicoccus coccidiivora (a cecidomyiid midge) 10
Oligonychus aceris (a spider mite) 14
Oligonychus bicolor
 14
Oligonychus ilicis (southern red mite) 14
Oligonychus milleri (a spider mite) 384
Oligonychus pratensis (Banks grass mite) 97, 299, 379, 443, 509, 574, 594, 600, 614, 638, 668, 675, 684
Oligonychus ununguis (spruce spider mite) 150, 343, 514
 Olive scale
 (Parlatoria oleae)
Omphisia anastomosalis (sweetpotato vine borer) 675
Oncideres cingulata (twig girdler) 702, 742
Oncocnemis punctilinea (a noctuid moth) 256, 271
 Onion maggot
 (Hylema antiqua)
 Onion thrips
 (Thrips tabaci)
Ooencyrtus clisiocampae (an encyrtid wasp) 213
Ooencyrtus kuwanai (an encyrtid wasp) 14, 239
Operophtera bruceata (Bruce spanworm) 153
Ophiomyia simplex (asparagus miner) 729
Opus spp. (braconid wasps) 80, 149, 676
Opus importatus
 81, 87, 149, 293, 495, 605, 731

Opus phaseoli
 81, 87, 149, 495, 644, 731
 Orangestriped oakworm
 (Anisota senatoria)
Orchidophilus spp. (weevils) 706
Orchidophilus aterrimus (orchid weevil) 605
 Orchid weevil
 (Orchidophilus aterrimus)
Orgyia rindgei (a liparid moth) 14
 Oriental fruit fly
 (Dacus dorsalis)
 Oriental fruit moth
 (Grapholitha molesta)
Orius insidiosus (a flower bug) 449
Orius tricolor (an anthocorid bug) 165, 171
Ornithodoros coriaceus (a softbacked tick) 622, 624
Ornithonyssus sylvium (northern fowl mite) 214, 239, 258, 307
Orthodes crenulata (a cutworm) 778, 782
Orthopodomyia signifera (a mosquito) 323
Orthosia hibisci (a noctuid moth) 183
Orthotylus chlorionis (a mirid) 306
Ostrinia nubilalis (European corn borer) 55, 133, 148, 161, 165, 181, 209, 223, 235, 250, 265, 281, 298, 316, 336, 356-357, 377, 397-398, 402, 421-422, 441-442, 462-463, 466, 482, 487, 507-508, 509, 513, 529-530, 535, 553, 558, 573, 593, 599, 613, 619, 629-630, 635, 636-637, 649, 651, 660, 667, 683, 691, 669, 711, 716, 723, 724, 729, 739, 740, 743, 752, 759, 763-768. Light traps: 260, 276, 292, 311, 350-351, 369-370, 390-391, 411-412, 433-434, 453-454, 474-475, 496-497, 520-521, 544-545, 565-566, 586-587, 606-607, 626-627, 645-646, 661-662, 679, 692, 707, 718, 730, 745
Otiorynchus cribricollis (a weevil) 54
Otiorynchus desertus
 54
Otiorynchus ligneus
 54
Otiorynchus ligustici (alfalfa snout beetle) 54, 225, 236, 339, 741
Otiorynchus meridionalis (a weevil) 54
Otiorynchus ovatus (strawberry root weevil) 54, 226
Otiorynchus porcatus
 54
Otiorynchus raucus
 54
Otiorynchus rugifrons
 54
Otiorynchus rugosostriatus
 54
Otiorynchus scaber
 54
Otiorynchus singularis
 54
Otiorynchus sulcatus (black vine weevil) 54
Otobius megnini (ear tick) 73, 658
Oulema melanopus (cereal leaf beetle) 14, 160-161, 170, 188, 189, 214, 240, 258, 273, 290, 308, 325, 347, 349, 367, 387, 388, 407, 430, 432, 449, 540, 543, 562, 564, 583, 674, 759, 760
Ovatus crataegarius (an aphid) 445, 451
 Oystershell scale
 (Lepidosaphes ulmi)

- Pachysomoides stupidus* (an ichneumon wasp) 82, 310
- Pachysphinx occidentalis* (a sphinx moth) 515
- Packard grasshopper (*Melanoplus packardii*)
- Painted lady (*Cynthia cardui*)
- Palaecrita vernata* (spring cankerworm) 128, 153, 168, 184, 212, 227, 271, 288, 305, 322, 344, 364, 385
- Palestriped flea beetle (*Systena blanda*)
- Pales weevil (*Hylobius pales*)
- Pale western cutworm (*Agrotis orthogonia*)
- Palexorista* sp. (a tachina fly) 450, 563
- Palmiculator palmarum* (palm mealybug) 254, 605
- Palm mealybug (*Palmiculator palmarum*)
- Panaphis juglandis* (a dusky-veined walnut aphid) 363
- Pangaesus bilineatus* (a burrowing stink bug) 447
- Panonychus citri* (citrus red mite) 139, 183, 203, 212
- Panonychus ulmi* (European red mite) 137, 138, 140, 212, 227, 255, 270, 273, 286, 321, 343, 404, 410, 427, 468, 489, 514, 560, 580, 601, 642
- Pantomorus cervinus* (Fuller rose beetle) 7, 187, 797, 798, 799, 800
- Pantomorus taeniatulus* (a weevil) 798, 799, 800
- Papaipema arctivorens* (a stalk borer) 758, 762
- Papaipema cataphracta* (burdock borer) 762
- Papaipema nebris* (stalk borer) 422
- Papilio ajax* (a black swallowtail) 472
- Papilio xuthus* (citrus swallowtail) 80, 130, 275, 519, 717
- Paraclemensia acerifoliella* (maple leafcutter) 673
- Paramyelois transitella* (navel orange-worm) 5
- Paratrechina* spp. (ants) 498
- Paratritio cockerelli* (potato psyllid) 145
- Pardalophora haldemani* (a grasshopper) 674
- Parlatoria oleae* (olive scale) 13
- Patapius spinosus* (a lepto podid bug) 13
- Patasson luna* (a mymarid wasp) 13, 251, 308
- Pea aphid (*Acyrtosiphon pisum*)
- Peachtree borer (*Sanninoidea exitiosa*)
- Peach twig borer (*Anarsia lineatella*)
- Pea leaf weevil (*Sitona lineatus*)
- Pearleaf blister mite (*Phytoptus pyri*)
- Pear psylla (*Psylla pyricola*)
- Pear rust mite (*Epitrimerus pyri*)
- Pearslug (*Caliroa cerasi*)
- Pecan leafroll mite (*Eriophyes caryae*)
- Pecan nut casebearer (*Acrobasis caryae*)
- Pecan phylloxera (*Phylloxera devastatrix*)
- Pecan spittlebug (*Clastoptera achatina*)
- Pecan weevil (*Curculio caryae*)
- Pectinophora gossypiella* (pink bollworm) 6, 8, 111, 192, 240, 451, 495, 518, 585, 604, 624, 643, 659, 675, 690, 705, 716, 761
- Pediculus humanus capitis* (head louse) 346, 387
- Pegomya betae* (beet leafminer) 269
- Pegomya hyoscyami* (spinach leafminer) 401
- Pemphigus tartareus* (an aphid) 770
- Pentalonia nigronervosa* (an aphid) 717
- Penthaleus major* (winter grain mite) 27, 51, 71, 85, 109, 127, 145, 181, 201, 209, 223, 250, 266, 753, 776
- Penthelispa rufipennis* (a cylindrical bark beetle) 240, 241
- Pepper weevil (*Anthonomus eugenii*)
- Peranabrus scabricollis* (coulee cricket) 378, 484
- Peregrinus maidis* (corn planthopper) 53, 426
- Peridesmia discus* (a chalcid wasp) 161
- Peridroma saucia* (variegated cutworm) 285, 299, 319, 320, 339, 361, 399, 402, 423, 425, 427, 509, 512, 513, 560, 599, 619. Light traps: 170, 186, 205, 216, 230, 240, 260, 276, 292, 311, 328, 350-351, 369-370, 390-391, 411-412, 433-434, 453, 474-475, 496-497, 520-521, 544-545, 565-566, 586-587, 606-607, 626-627, 645-646, 661-662, 679, 692, 707, 718, 730, 745
- Perigaster obscura* (a weevil) 290, 291
- Periodical cicada (*Magicicada septendecim*)
- Periphyllus lyropictus* (Norway maple aphid) 770
- Periplaneta americana* (American cockroach) 226, 227
- Petrobia latens* (brown wheat mite) 13, 98, 99, 250, 302, 319, 340, 349
- Phanaeus vindex* (a scarab) 13
- Phenacaspis cockerelli* (an armored scale) 72, 74, 183
- Phenacaspis pinifoliae* (pine needle scale) 728, 729
- Philaenus spumarius* (meadow spittlebug) 268, 299, 310, 319, 380, 639, 669
- Phlegetonia delatrix* (a noctuid moth) 28, 112, 310, 519
- Phlibostroma quadrimaculatum* (a grasshopper) 191, 431, 623, 674
- Phoetaliotes nebrascensis* (a grasshopper) 450
- Phrydiuchus tau* (a weevil) 759
- Phthorimaea operculella* (potato tuber-worm) 579
- Phyllobius oblongus* (a weevil) 13
- Phyllocoptruta oleivora* (citrus rust mite) 139
- Phyllophaga* spp. (May beetles) 472, 513
- Phyllophaga aemula* (a May beetle) 513
- Phyllophaga angulata* 472
- Phyllophaga foxii* 472
- Phyllophaga knochi* 472
- Phyllophaga marginalis* 513
- Phyllotreta striolata* (striped flea beetle) 403
- Phylloxera devastatrix* (pecan phylloxera) 321, 343, 468

Phytobia maculosa (a leafminer fly)
 362
Phytomyza ilicicola (native holly
 leafminer) 85, 147
Phytomyza ilicis (holly leafminer)
 238
Phytoptus pyri (pearleaf blister mite)
 537
 Pickleworm
 (Diaphania nitidalis)
Pieris rapae (imported cabbageworm)
 53, 130, 136, 146, 342, 403, 599
Pikonema alaskensis (yellowheaded spruce
 sawfly) 384
Pimpla turionella (an ichneumon wasp)
 450, 563
 Pine bark aphid
 (Pineus strobi)
 Pine butterfly
 (Neophasia menapia)
 Pine colaspis
 (Colaspis pini)
 Pine false webworm
 (Acantholyda erythrocephala)
 Pine looper
 175
 Pine needle scale
 (Phenacaspis pinifoliae)
 Pine spittlebug
 (Aphrophora parallela)
 Pine tortoise scale
 (Toumeyella numismaticum)
 Pine tussock moth
 (Dasychira plagiata)
 Pine webworm
 (Tetralopha robustella)
Pineus pini (an adelgid)
 7, 53, 175, 327, 452, 473, 579, 644, 691
Pineus strobi (pine bark aphid)
 168
 Pink bollworm
 (Pectinophora gossypiella)
Pissodes approximatus (northern pine
 weevil) 73
Pissodes nemorensis (deodar weevil)
 73, 110
Pissodes strobi (white pine weevil)
 13, 213, 405, 561
Plagiodera versicolora (imported willow
 leaf beetle) 513, 515
Plagiohammus spinipennis (lantana
 cerambycid) 81, 542
Plagithymus diana (a cerambycid beetle)
 7
Plagithymus perrottetae
 7
Plagrohammus spinipennis (a lantana
 cerambycid) 495
 Plant bugs
 400
Plathypena scabra (green cloverworm)
 118, 119, 225, 465, 485, 486, 509, 510,
 533, 556, 575, 596, 615-616, 639, 653,
 654, 685, 701, 712
Platycotis vittata (a treehopper)
 168
Platynota rostrana (a tortricid moth)
 778, 782
Platyptedia sp. (a cicada)
 398
Platytetranychus thujae (a spider mite)
 13
Pleocoma crinita (a rainbeetle)
 755
Plodia interpunctella (Indian meal moth)
 111, 160
 Plum curculio
 (Conotrachelus nenuphar)
Plutella xylostella (diamondback moth)
 8, 28, 130, 136, 146, 211, 327, 473, 691,
 717, 744
Phnyxia scabiei (potato scab gnat)
 135, 342, 425, 686, 755, 762
Podisus placidus (a pentatomid)
 658
Pogonomyrmex spp. (harvester ants)
 266
Pogonomyrmex occidentalis (western
 harvester ant) 266
Pogonomyrmex owyheei
 266
Polistes exclamans exclamans (a vespid
 wasp) 82
Polydesma umbricola (monkeypod moth)
 410
Polydrusus sericeus (a weevil)
 204, 205
Polyphagotarsonemus latus (broad mite)
 28, 130
Popillia japonica (Japanese beetle)
 192, 229, 309, 326, 348, 368, 389, 408,
 432, 450, 472, 494, 518, 541, 563, 584,
 624, 643, 659, 674, 690, 705, 743, 760
 Poplar tentmaker
 (Ichthyura inclusa)
Porthetria dispar (gypsy moth)
 52, 175, 192, 214, 239, 259, 274, 291,
 309, 325, 347, 348, 368, 408, 430, 432,
 450, 472, 494, 518, 539, 563, 643, 659,
 714, 743
 Potato aphid
 (Macrosiphum euphorbiae)
 Potato flea beetle
 (Epitrix cucumeris)
 Potato leafhopper
 (Empoasca fabae)
 Potato psyllid
 (Paratrioza cockerelli)
 Potato scab gnat
 (Phnyxia scabiei)
 Potato tuberworm
 (Phthorimaea operculella)
Prionus imbricornis (tilehorned prionus)
 757, 762
Pristiphora abbreviata (California
 pearslug) 343
Pristiphora erichsonii (larch sawfly)
 364
Pristiphora geniculata (mountain ash
 sawfly) 385
Procecidochares utilis (a gall fly)
 82
Prociphilus fraxinifolii (an aphid)
 601
Prociphilus tessellatus (woolly alder
 aphid) 488, 490, 770
Prosapia bicincta (twolined spittlebug)
 338, 615, 652
Protocalliphora hirudo (a calliphorid fly)
 13
Pseudaletia unipuncta (armyworm)
 88, 89, 109, 249, 265, 281, 297, 315,
 335, 355, 375, 395, 419, 439, 459, 479-
 480, 503, 527, 551, 571, 591, 611, 635,
 652, 723, 739, 751. Light traps: 148,
 170, 186, 205, 216, 230, 240, 260, 276,
 292, 311-312, 328, 350-351, 369-370, 390-
 391, 411-412, 433-434, 453-454, 474-475,
 496-497, 520-521, 544-545, 565-566, 586-
 587, 606-607, 626-627, 645-646, 661-662,
 679, 692, 707, 718, 730, 745
Pseudaonidia paeoniae (an armored scale)
 4, 8, 305, 310, 344, 349
Pseudatomoscelis seriatus (cotton flea-
 hopper) 122, 341, 361, 401, 425, 444,
 487, 512, 535
Pseudaulacaspis pentagona (white peach
 scale) 759
Pseudocneorhinus bifasciatus (a Japanese
 weevil) 150
Pseudococcus citriculus (a mealybug)
 230
Pseudococcus comstocki (Comstock mealybug)
 230, 239, 273
Pseudococcus longispinus (longtailed
 mealybug) 109
Pseudococcus maritimus (grape mealybug)
 688
Pseudococcus obscurus (a mealybug)
 744
Pseudophilippia quaintancii (a soft scale)
 385, 472
Pseudoplusia includens (soybean looper)
 303, 685
Pseudoscymnus anomolus (a lady beetle)
 53, 81
Psila rosae (carrot rust fly)
 288
Psilopa leucostoma (an ephydrid fly)
 361
Psoloessa delicatula (a grasshopper)
 367

Psorophora spp. (mosquitoes)
159, 386, 429, 658
Psorophora ciliata
159, 289, 345, 658, 673
Psorophora confinnis
289, 323, 406, 448, 492
Psorophora cyanesens
345, 673
Psorophora ferox
345
Psorophora howardi
673
Psylla pyricola (pear psylla)
72, 85, 138, 146, 183, 211, 226, 255,
270, 273, 286, 304, 363, 427, 642
Psylla trimaculata (a psylla)
687
Psylla uncatoides (acacia psyllid)
111, 112, 293
Pterocomma smithiae (an aphid)
770
Pulvinaria elongata (a soft scale)
532
Pulvinaria floccifera
304, 310
Pulvinaria mesembryanthemi
778
Purple scale
(Lepidosaphes beekii)
Pyramid ant
(Conomyrma insana)
Pyrrhalta luteola (elm leaf beetle)
147, 151, 155, 168, 229, 256, 288, 323,
385, 405, 428, 469, 538, 561, 581, 602,
688

Q

Quadraspidiotus perniciosus (San Jose
scale) 168, 286, 601, 702

R

Radopholus similis (burrowing nematode)
188
Raisin moth
(Cadra figulilella)
Range caterpillar
(Hemileuca oliviae)
Range crane fly
(Tipula simplex)
Redbacked cutworm
(Euxoa ochrogaster)
Redbanded leafroller
(Argyrotaenia velutinana)
Red grasshopper mite
(Eutrombidium trigonum)
Redheaded pine sawfly
(Neodiprion lecontei)
Redhumped caterpillar
(Schizura concinna)
Red imported fire ant
(Solenopsis invicta)
Redlegged grasshopper
(Melanoplus femurrubrum)
Rednecked peanutworm
(Stegasta bosqueella)
Red pine scale
(Matsucoccus resinosae)
Red pumpkin bug
(Coridius janus)
Red turpentine beetle
(Dendroctonus valens)
Reticulitermes spp. (subterranean
termites) 204, 239
Reticulitermes flavipes (eastern
subterranean termite) 111, 148, 169,
185, 204, 214

Rhabdoscelus obscurus (New Guinea
sugarcane weevil) 130
Rhagoletis spp. (walnut husk flies,
cherry fruit flies) 522, 628
Rhagoletis boycei
522
Rhagoletis completa (walnut husk fly)
468, 522, 656, 672, 702
Rhagoletis indifferens (western cherry
fruit fly) 137, 409
Rhagoletis juglandis (a walnut husk fly)
522
Rhagoletis mendax (blueberry maggot)
363, 469
Rhagoletis pomonella (apple maggot)
137, 404, 468, 489, 514, 560
Rhagoletis zoqui (a walnut husk fly)
522
Rhagoletis suavis
522
Rhinocyllus conicus (a weevil)
517
Rhipicephalus sanguineus (brown dog tick)
159, 517
Rhizaspidiotus dearnessi (an armored
scale) 778, 782
Rhodesgrass scale
(Antonina graminis)
Rhopalosiphum fitchii (apple grain
aphid) 298, 770
Rhopalosiphum maidis (corn leaf aphid)
27, 79, 87, 88, 90, 99, 160, 249, 265,
315, 336, 356, 376, 396, 419, 439, 459-
460, 480-481, 504, 527-528, 542, 552,
571, 592, 636, 660, 751, 771
Rhopalosiphum nymphaeae (waterlily
aphid) 28
Rhopalosiphum padi (an aphid)
99, 250, 684, 699, 771, 776
Rhyacionia buoliana (European pine
shoot moth) 167
Rhyacionia bushnelli (an olethreutid
moth) 86, 384, 469
Rhyacionia frustrana (Nantucket pine tip
moth) 4, 213, 447, 560, 703, 714, 742
Rice stink bug
(Oebalus pugnax)
Rice water weevil
(Lissorhoptrus oryzophilus)
Rice weevil
(Sitophilus oryzae)
Ricoseius loxoches (a phytoseiid mite)
10
Rocky Mountain wood tick
(Dermacentor andersoni)
Rosal apple aphid
(Dysaphis plantaginea)

S

Saddled prominent
(Heterocampa guttivitta)
Sagebrush defoliator
(Aroga websteri)
Saissetia spp. (black scales)
187
Saissetia miranda
187, 205
Saissetia neglecta
186, 187
Saissetia oleae (black scale)
139, 140, 187
Saltmarsh caterpillar
(Estigmene acrea)
Saltmarsh mosquito
(Aedes sollicitans)
Sanbornia juniperi (an aphid)
13
San Jose scale
(Quadraspidiotus perniciosus)

Sanninoidea exitiosa (peachtree borer)
446, 702
Sap beetles
507
Sapyga pumila (a sapygid wasp)
540
Satin moth
(Stilpnotia salicis)
Sawflies
175, 176
Scambus tecumseh (an ichneumon wasp)
13
Say stink bug
(Chlorochroa sayi)
Scaphytopius magdalenis (a leafhopper)
128, 131, 183, 186
Sceptrorhynchus grandiclavus (a pteromalid wasp) 13
Schistocerca americana (American grasshopper) 99
Schizaphis graminum (greenbug)
3, 27, 71, 85, 88, 91, 98, 109, 127, 145, 160, 165, 181, 201, 209, 223, 235, 249-250, 265, 281, 297, 316, 336, 356, 366, 376, 396-397, 419-420, 439-440, 460, 481, 504-505, 513, 528-529, 552, 553, 572, 592, 612, 624, 636, 650, 667, 683, 699, 711, 723, 739, 751, 759, 762, 775
Schizura concinna (redhumped caterpillar)
446
Schreckensteiniella festaliella
(a hellodid moth) 215, 392
Scirtothrips citri (citrus thrips)
240, 183, 212, 227
Scirtothrips inermis (a thrips)
10, 150
Scolytus multistriatus (smaller European elm bark beetle) 757
Scolytus rugulosus (shot-hole borer)
28, 687
Screwworm
(Cochliomyia hominivorax)
Scyphophorus acupunctatus (a weevil)
13
Secondary screwworm
(Cochliomyia macellaria)
Seedcorn maggot
(Hyalemyia platura)
Selca brunella (melastoma borer)
7, 87, 187, 293, 410, 495, 579
Semiothisa santaremaria (a geometrid moth)
81, 392
Sepedon sauteri (a sciomyzid fly)
392
Sepsis lateralis (a sepsid fly)
362, 368
Sepsis thoracica
240, 241
Sheep biting louse
(Bovicola ovis)
Sheep ked
(Melophagus ovinus)
Shortnosed cattle louse
(Haematopinus eurysternus)
Shot-hole borer
(Scolytus rugulosus)
Silverspotted skipper
(Epargyreus clarus)
Silverspotted tiger moth
(Halisidota argentata)
Simulium spp. (black flies)
366, 407
Simulium meridionale (turkey gnat)
325
Simulium venustum (a black fly)
289
Sinate peartree borer
(Agilus sinuatus)
Sipha flava (yellow sugarcane aphid)
266
Siphanta acuta (a flatid bug)
215
Sitomys rhois (an aphid)
714, 716
Sitona hispidulus (clover root curculio)
127, 131, 182
Sitona lineatus (pea leaf weevil)
135, 225, 226, 252, 253, 269, 303, 342, 585

Sitona scissifrons (a weevil)
685
Sitophilus oryzae (rice weevil)
160, 169, 308, 310, 683, 700
Small yellow ant
(Acanthomyops claviger)
Smaller European elm bark beetle
(Scolytus multistriatus)
Sminthurus dorsalis (a springtail)
319, 326
Snowball aphid
(Neoceruraphis viburnicola)
Solenopotes capillatus (a cattle louse)
131, 258
Solenopsis spp. (fire ants)
6, 8, 192
Solenopsis geminata (fire ant)
3, 725
Solenopsis invicta (red imported fire ant) 53, 74, 86, 87, 111, 148, 205, 229, 389, 451, 690, 691, 716, 761, 762
Solenopsis richteri (black imported fire ant) 6, 170, 185
Solenopsis xyloni (southern fire ant)
389, 725
Sorghum midge
(Contarinia sorghicola)
Sorghum webworm
(Celama sorghiiella)
Sourbush seed fly
(Acinia picturata)
South African grain bug
(Macchiademus diplopterus)
Southern chinch bug
(Blissus insularis)
Southern corn rootworm
(Diabrotica undecimpunctata howardi)
Southern cornstalk borer
(Diatraea crambidoides)
Southern fire ant
(Solenopsis xyloni)
Southern green stink bug
(Nezara viridula)
Southern house mosquito
(Culex pipiens quinquefasciatus)
Southern pine beetle
(Dendroctonus frontalis)
Southern red mite
(Oligonychus ilicis)
Southwestern corn borer
(Diatraea grandiosella)
Soybean cyst nematode
(Heterodera glycines)
Soybean looper
(Pseudoplusia includens)
Spanonimus albofasciatus (a fleahopper)
341, 381
Sparganothis acerivorana (a leafroller moth) 153
Sphecids wasps
131
Sphenophorus callosus (a billbug)
97, 266, 298
Sphenophorus maidis (maize billbug)
97, 298, 378, 422
Sphenophorus minimus
131, 171, 240
Sphenophorus parvulus (bluegrass billbug) 282, 443, 484, 532, 555, 574, 585
Sphenophorus venatus vestitus
130
Sphinx chersis (great ash sphinx)
703
Spilonota ocellana (eyespotted bud moth)
226
Spinach leafminer
(Pegomya hyoscyami)
Spirea aphid
(Aphis spiraeicola)
Spissistilus festinus (threecornered alfalfa hopper) 3, 557, 576, 615, 616, 639, 640, 668, 713, 725, 741
Spodoptera exigua (beet armyworm)
7, 53, 71, 80, 95, 128, 131, 134, 149, 167, 183, 186, 250, 254, 299, 302, 320, 340, 342, 510, 576, 595, 596, 598, 599, 625, 635, 640, 653, 655, 660, 669, 671, 684, 686, 699, 726, 731, 740, 741, 754. Light traps: 186, 205, 216, 240, 260, 276,

- 292, 311, 350-351, 369-370, 390-391, 411, 433, 454, 474, 496, 520, 544-545, 565-566, 586-587, 606, 626-627, 645-646, 661-662, 679, 692, 707, 718, 730, 745
- Spodoptera frugiperda (fall armyworm)
95, 98, 99, 250, 355, 463, 483, 508, 509, 527, 530, 532, 533, 551, 554, 555, 557, 572, 574, 591, 593, 594, 595, 596, 597, 611, 612-613, 614, 615, 620, 635, 637, 638, 640, 649, 650, 654, 656, 667, 668, 670, 671, 683, 684, 685, 700, 706, 711, 712, 723, 724-725, 739, 740, 741, 753. Light traps: 351, 411, 433-434, 454, 474, 496-497, 520-521, 544-545, 565-566, 586-587, 606-607, 626-627, 645-646, 661, 679, 692, 707, 718, 730, 745
- Spodoptera mauritia (lawn armyworm)
130
- Spodoptera ornithogalli (yellowstriped armyworm) 298, 300, 381, 398, 425, 444, 483, 486, 510, 527, 533, 535, 551, 557, 575, 700, 712, 726, 781. Light traps: 170, 186, 205, 230, 240, 260, 276, 292, 311, 328, 350-351, 369-370, 390-391, 411-412, 433-434, 453-454, 474-475, 496-497, 520-521, 544-545, 565-566, 586-587, 606, 626-627, 645-646, 661-662, 679, 692, 707, 718, 730, 745
- Spodoptera pecten (a noctuid moth)
543
- Spodoptera praefica (western yellowstriped armyworm) 136, 182, 202, 225, 361, 465, 485, 487
- Spotted alfalfa aphid
(Therioaphis maculata)
- Spotted asparagus beetle
(Crioceris duodecimpunctata)
- Spotted cutworm
(Amathes c-nigrum)
- Spring cankerworm
(Paleacrita vernata)
- Spruce beetle
(Dendroctonus rufipennis)
- Spruce budworm
(Choristoneura fumiferana)
- Spruce needleminer
(Taniva albolineana)
- Spruce spider mite
(Oligonychus ununguis)
- Squash bug
(Anasa tristis)
- Stable fly
(Stomoxys calcitrans)
- Stalk borer
(Papaipema nebris)
- Stegasta bosqueella (rednecked peanutworm) 120, 534, 597, 617, 640, 670, 713
- Steiroxys sp. (a grasshopper)
494
- Steneretma laticauda (an otitid fly)
231
- Steniolia duplicata (a sphecid wasp)
131
- Stenodema spp. (grass bugs)
190
- Stenopelmus rufinasus (a weevil)
776, 782
- Stenoscelis brevis (a weevil)
288, 291
- Stephanitis pyrioides (azalea lace bug)
489
- Stilpnotia salicis (satin moth)
364
- Stomoxys calcitrans (stable fly)
73, 159, 228, 272, 324, 346, 387, 449, 470, 492, 517, 539, 562, 583, 603, 622, 673, 728, 743
- Stone fruit weevil
(Furcuspis rectirostris)
- Strawberry crown moth
(Synanthedon bibionipennis)
- Striped flea beetle
(Phyllotreta striolata)
- Striped mealybug
(Ferrisia virgata)
- Strawberry root weevil
(Otiiorhynchus ovatus)
- Strawberry spider mite
(Tetranychus turkestanii)
- Strawberry tortrix
(Accleris comariana)
- Strawberry weevil
(Anthonomus signatus)
- Striped cucumber beetle
(Acalymma vittata)
- Sugarbeet root maggot
(Tetanops myopaeformis)
- Sugarbeet wireworm
(Limonius californicus)
- Sugarcane beetle
(Euethola rugiceps)
- Sunflower beetle
(Zygogramma exclamationis)
- Sunflower moth
(Homoeosoma electellum)
- Sweetpotato flea beetle
(Chaetocnema confinis)
- Sweetpotato hornworm
(Agrius cingulatus)
- Sweetpotato leafhopper
(Aloho ipomoeae)
- Sweetpotato leafminer
(Bedellia orchilella)
- Sweetpotato vine borer
(Omphisia anastomosalis)
- Sweetpotato weevil
(Cylas formicarius elegantulus)
- Symmerista canicosta (a notodontid moth)
153, 177, 657, 714, 716
- Sympiesis viridula (a eulophid wasp)
160, 161
- Synanthedon bibionipennis (strawberry crown moth) 687, 703
- Synanthedon pictipes (lesser peachtree borer) 321, 493
- Synanthedon tipuliformis (currant borer)
368
- Systema blanda (palestriped flea beetle)
381, 464

T

- Tabanid flies
429, 492, 517
- Tabanus spp. (tabanid flies)
429, 492, 517, 562, 600, 603, 622, 689, 715
- Tabanus atratus (black horse fly)
622, 689, 704, 715
- Tabanus cymatophorus
451
- Tabanus giganteus
492
- Tabanus sackeni
603, 644
- Tabanus sagax
603, 644
- Tabanus sulcifrons
517, 622
- Tabanus superjumentarius
600, 603
- Tachyines asynamorus (greenhouse stone cricket) 129, 131
- Taeniothrips frici (a thrips)
285, 291
- Taeniothrips eucharis
727, 729

Taeniothrips hawaiiensis (a thrips)
 287, 291, 706, 727, 729
Tahitian coconut weevil
 (Diocalandra taitensis)
Takecallis arundinariae (a bamboo aphid)
 13
Taniva albolineana (spruce needleminer)
 703
Tanymecus dilaticollis (gray corn weevil)
 413
 Tarnished plant bug
 (Lygus lineolaris)
 Taro leafhopper
 (Tarophagus proserpina)
Tarophagus proserpina (taro leafhopper)
 28, 215
Taxodiomyia cupressiananassa (a gall
 midge) 4, 8, 15
 Tea scale
 (Florinia theae)
Telenomus alsophilae (a scelionid wasp)
 517
Teleonemia scrupulosa (a tingid bug)
 579
Telsimia nitida (a lady beetle)
 7, 53, 81, 206, 426, 564, 605, 676
Tetanops myopaeformis (sugarbeet root
 maggot) 123, 225, 285, 341, 382, 401,
 425
Tetralopha robustella (pine webworm)
 714, 716, 757, 762
Tetranychus spp. (spider mites)
 119, 150, 614, 778
Tetranychus cinnabarinus (carmine spider
 mite) 7, 28, 74, 80, 170, 349, 519,
 625, 644, 660, 691, 717
Tetranychus mcdanieli (McDaniel spider
 mite) 714
Tetranychus tumidus (tumid spider mite)
 343, 349, 410
Tetranychus turkestanii (strawberry spider
 mite) 122
Tetranychus urticae (twospotted spider
 mite) 120, 122, 140, 150, 212, 286,
 341, 363, 402, 465, 537, 580, 620, 642,
 652, 671
Tetrastichus incertus (a eulophid wasp)
 161, 388, 407, 781
Tetrastichus julis
 15, 160, 161, 188, 347, 349, 388, 430,
 583, 674, 759
 Texas citrus mite
 (Eutetranychus banksi)
Thecodiplosis pinirigidiae (a gall midge)
 288, 291
Therioaphis maculata (spotted alfalfa
 aphid) 92, 145, 160, 201, 209, 250,
 265, 298, 316, 336, 377, 440, 461, 482,
 506, 529, 553, 572, 592, 636, 644, 650,
 723, 739, 752, 775-776
Theronia atalantae fulvescens (an
 ichneumon wasp) 15
 Threecornered alfalfa hopper
 (Spissistilus festinus)
 Threelined potato beetle
 (Lema trilineata)
Thrips tabaci (onion thrips)
 80, 165, 170, 171, 403, 467, 513, 564,
 691
Thyanta yerma (a pentatomid)
 240
Thyridopteryx ephemeriformis (bagworm)
 72, 150, 238, 404, 489, 601
Thysanopyga intractata (a geometrid moth)
 513, 514
 Ticks
 346, 517
 Tilehorned prionus
 (Prionus imbricornis)
Tinocallis caryaefoliae (black pecan
 aphid) 139, 514, 580, 585, 672, 687,
 755
Tinocallis kahawaluokalani (crape myrtle
 aphid) 771
Tipula paludosa (European crane fly)
 148, 190, 194, 229, 258, 274, 583, 604,
 659, 660
Tipula simplex (range crane fly)
 3
 Tobacco budworm
 (Heliothis virescens)
 Tobacco flea beetle
 (Epitrix hirtipennis)
 Tobacco hornworm
 (Manduca sexta)
 Tobacco moth
 (Ephestia elutella)
 Tomato hornworm
 (Manduca quinquemaculata)
 Tomato pinworm
 (Keiferia lycopersicella)
Toumeyella lirioidendri (tuliptree scale)
 170, 761
Toumeyella numismaticum (pine tortoise
 scale) 757
Toumeyella pini (a soft scale)
 728, 729
Toxoptera aurantii (black citrus aphid)
 130, 310
Trachyploeus aristatus (a weevil)
 306, 310
Trachyrhachys kiowa (a grasshopper)
 450, 705
Trachyrhachys kiowa kiowa
 185, 186
Trathala flavo-orbitalis (an ichneumon
 wasp) 410, 717
Trechmites insidiosus (an encyrtid wasp)
 273
Trialeurodes abutilonea (bandedwing
 whitefly) 578, 618, 641, 671, 726
Trialeurodes vaporariorum (greenhouse
 whitefly) 7, 28, 53, 74, 130, 149, 170,
 206, 254, 275, 452, 564, 599, 778
Tribolium audax (American black flour
 beetle) 239, 240
Tribolium confusum (confused flour beetle)
 86, 160
Tricentrus albomaculatus (white-margined
 treehopper) 215
Trichogramma sp. (a minute egg parasite)
 275, 519, 717
Trichoplusia ni (cabbage looper)
 4, 51, 71, 136, 167, 303, 320, 342, 383,
 403, 425, 487, 488, 558, 559, 579, 596,
 599, 618, 619, 642, 655, 656, 671, 702,
 713, 726, 755. Light traps: 260, 276,
 292, 311, 328, 350-351, 369-370, 390-
 391, 411-412, 433-434, 453-454, 474-475,
 496-497, 520-521, 544-545, 565-566,
 586-587, 606-607, 626-627, 645-646,
 661-662, 679, 692, 707, 718, 730, 745
Trichopoda sp. (a tachina fly)
 744
Trichopoda pennipes
 53
Trichopoda pennipes var. pilipes
 81, 275, 452
Trichotaphe iothalles (a gelechiid moth)
 427, 432
Trimerotropis sp. (a grasshopper)
 431
Trimerotropis gracilis gracilis
 185, 186, 705, 706
Trimerotropis latifasciata
 185, 186, 760, 782
Trimerotropis pallidipennis
 259, 291, 450, 471
Trimerotropis strenua
 760
Trimerotropis suffusa
 760
Trioxys pallidus (a braconid wasp)
 160, 161, 583
Trioxa magnoliae (a psyllid)
 228
Trisetacus gemmavitiens (an eriophyid
 mite) 428, 432

Trisetacus juniperinus
109, 111
Trissolcus basalus (a scelionid wasp)
275, 542
Trogoderma granarium (khapra beetle)
194
Tuliptree aphid
(Macrosiphum liriodendri)
Tuliptree scale
(Toumeyella liriodendri)
Tumid spider mite
(Tetranychus tumidus)
Turkey gnat
(Simulium meridionale)
Twig girdler
(Oncideres cingulata)
Twolined spittlebug
(Prosapia bicincta)
Twostrided grasshopper
(Melanoplus bivittatus)
Twospotted lady beetle
(Adalia bipunctata)
Twospotted spider mite
(Tetranychus urticae)
Tyria jacobaeae (a cinnabar moth)
366

U

Unaspis citri (citrus snow scale)
140
Unaspis eunymii (eunymus scale)
4, 8
Uroplata girardi (lantana hispid)
187, 426, 495, 579, 660, 744
Utahenetus tanneri (a camel cricket)
15

Vanessa carye (a nymphalid butterfly)
169
Variable oakleaf caterpillar
(Heterocampa manteo)
Variegated cutworm
(Peridroma saucia)
Vegetable weevil
(Listroderes costirostris obliquus)
Velvetbean caterpillar
(Anticarsia gemmatilis)
Vertigo rugosula (a land snail)
15
Vespa crabro germana (giant hornet)
172, 715, 716
Vespula diabólica (a vespid wasp)
729
Vespula vulgaris
327, 579, 585
Vetch bruchid
(Bruchus brachialis)
Vitacea polistiformis (grape root borer)
270, 580, 585, 756, 762
Vitula edmandsae serratilineella
(driedfruit moth) 407

W

Walkingstick
(Diapheromera femorata)
Wallacea albiseta (a stratiomyid fly)
148, 149
Walnut aphid
(Chromaphis juglandicola)
Walnut caterpillar
(Datana integerrima)
Walnut husk fly
(Rhagoletis completa)
Waterlily aphid
(Rhopalosiphum nymphaeae)
Western bean cutworm
(Loxagrotis albicosta)
Western cherry fruit fly
(Rhagoletis indifferens)
Western corn rootworm
(Diabrotica virgifera)

Western flower thrips
(Frankliniella occidentalis)
Western grapeleaf skeletonizer
(Harrisina brillians)
Western harvester ant
(Pogonomyrmex occidentalis)
Western hemlock looper
(Lambda fiscellaria lugubrosa)
Western pine beetle
(Dendroctonus brevicomis)
Western spotted cucumber beetle
(Diabrotica undecimpunctata undecimpunctata)
Western spruce budworm
(Choristoneura occidentalis)
Western tent caterpillar
(Malacosoma californicum)
Western tussock moth
(Homocampa vetusta)
Western yellowstriped armyworm
(Spodoptera praefica)
West Indian sugarcane root borer
(Diaprepes abbreviatus)
West Indian sweetpotato weevil
(Euscepes postfasciatus)

Wheat stem maggot
(Meromyza americana)
Wheat stem sawfly
(Cephus cinctus)
Whiteline sphinx
(Hyles lineata)
White-margined treehopper
(Tricentrus albomaculatus)
Whitemarked tussock moth
(Homocampa leucostigma)
White peach scale
(Pseudaulacaspis pentagona)
White pine aphid
(Cinara strobi)
White pine weevil
(Pissodes strobi)
Winter grain mite
(Penthalpus major)
Winter tick
(Dermacentor albipictus)
Woolly alder aphid
(Prociphilus tessellatus)
Woolly apple aphid
(Eriosoma lanigerum)
Woolly whitefly
(Aleurothrixus floccosus)

X


Xenochalepus dorsalis (locust leafminer)
447, 488, 490, 516, 534, 538
Xylosandrus compactus (a bark beetle)
254, 293, 327
Xylosandrus germanus (a scolytid beetle)
15
Xylotrupes dichotomus (a scarabeid beetle) 676

Y

Yellowheaded spruce sawfly
(Pikonema alaskensis)
Yellownecked caterpillar
(Datana ministra)
Yellowstriped armyworm
(Spodoptera ornithogalli)
Yellow sugarcane aphid
(Sipha flava)

Z

Zadiprion townsendi (a conifer sawfly)
513, 515
Zebra caterpillar
(Ceramica picta)
Zetzellia mali (a phytoseiid mite)
273
Zygogramma exclamationis (sunflower beetle) 382, 402, 466, 512, 535



U.S. DEPARTMENT OF AGRICULTURE
HYATTSVILLE, MARYLAND 20782

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE, \$300

POSTAGE AND FEES PAID
U.S. DEPARTMENT OF
AGRICULTURE
AGR 101



